



### Tuberculosis mortality and mortality rate, England and Wales, 1913-2013

TB mortality data from the Office for National Statistics, showing number and rate of TB deaths in England and Wales from 1913-2013

<b>Year</b>	<b>Number of deaths</b>	<b>Rate (per 100,000 population)</b>
1913	36500	99.8
1914	39000	105.5
1915	41800	118.5
1916	41500	119.8
1917	44400	129.8
1918	46200	135.8
1919	36000	101.6
1920	33000	88.6
1921	33300	87.8
1922	34000	89.0
1923	31900	83.0
1924	33000	85.1
1925	32800	84.2
1926	30000	76.7
1927	31000	78.9
1928	29800	75.5
1929	31200	78.8
1930	29500	74.1
1931	29200	73.0
1932	26900	66.9
1933	27000	66.9
1934	24900	61.5
1935	24000	59.0
1936	22600	55.3
1937	23000	56.1
1938	21900	53.1
1939	21500	52.1
1940	23900	59.9
1941	23200	59.9
1942	20500	53.6
1943	21000	55.5
1944	19800	52.4
1945	19200	50.6
1946	18000	44.3
1947	18100	43.3
1948	15600	36.5
1949	12500	29.0
1950	11100	25.3
1951	9900	22.6
1952	9500	21.6



<b>Year</b>	<b>Number of deaths</b>	<b>Rate (per 100,000 population)</b>
1953	8200	18.6
1954	5800	13.1
1955	3900	8.8
1956	3000	6.7
1957	2900	6.5
1958	2950	6.5
1959	2500	5.5
1960	2450	5.4
1961	2300	5.0
1962	2250	4.8
1963	2200	4.7
1964	2168	4.6
1965	1994	4.2
1966	2059	4.3
1967	1814	3.8
1968	1676	3.5
1969	1271	2.6
1970	1088	2.2
1971	1103	2.2
1972	1127	2.3
1973	1016	2.1
1974	945	1.9
1975	868	1.8
1976	762	1.5
1977	645	1.3
1978	614	1.2
1979	613	1.2
1980	605	1.2
1981	557	1.1
1982	564	1.1
1983	467	0.9
1984	490	1.0
1985	523	1.0
1986	471	0.9
1987	430	0.9
1988	478	1.0
1989	443	0.9
1990	390	0.8
1991	422	0.8
1992	418	0.8
1993	423	0.8
1994	419	0.8
1995	448	0.9
1996	416	0.8
1997	385	0.7



Year	Number of deaths	Rate (per 100,000 population)
1998	393	0.8
1999	383	0.7
2000	373	0.7
2001	375	0.7
2002	386	0.7
2003	394	0.7
2004	346	0.7
2005	362	0.7
2006	371	0.7
2007	300	0.6
2008	339	0.6
2009	302	0.5
2010	299	0.5
2011	256	0.5
2012	261	0.5
2013*	280	0.5

\*Deaths occurring in 2013 but not registered until 2014 may not be included.

Only persons for whom TB was reported to be the underlying cause of death are included. Persons with a cause of death classified as either 'late effects of tuberculosis' or 'sequelae of tuberculosis' are not included.

**Sources:** Office for National Statistics (notifications of infectious disease deaths), Office for National Statistics mid-year population estimates

**Prepared by:** TB Section, Centre for Infectious Disease Surveillance and Control, Public Health Protection England