



PRiF
Expert Committee on Pesticide Residues in Food

School Fruit & Vegetable Scheme
Pesticide Residues Monitoring Report
Summer Term 2015

Published: March 2016



Just Eat More
(fruit & veg)

CONTENTS

	Page
<u>SUMMARY FINDINGS</u>	1
<i><u>Background to the School Fruit and Vegetable Scheme supplied by the Department of Health</u></i>	2
PART 1 <u>Introduction</u>	4
PART 2 <u>Assessing the results</u>	5
PART 3 <u>Results</u>	7
 APPENDICES	
Appendix A: <u>Summary of results</u>	15
Appendix B: <u>Summary of residues over the MRL and non-approved uses</u>	16
Appendix C: <u>Pesticides sought and found in individual commodities</u>	17
Appendix D: <u>CRD Assessment of Risk</u>	50
Appendix E: <u>Supplier details</u>	56

Summary Findings

During the 2015 summer term 72 samples of fruit and vegetables were analysed as part of the Department of Health's School Fruit and Vegetable Scheme testing programme. We surveyed 12 apple samples, 14 banana samples, 11 carrot samples, 4 raisins samples, 12 soft citrus samples, 2 strawberry samples, 6 sugarsnap pea samples and 11 tomato samples. We took at least one sample, from each supplier, of each type of food they supplied to the scheme during the term.

The samples were collected between April and July 2015. The majority of samples either contained no detectable residues of any of the pesticides we were looking for or contained residues below the maximum residue level (MRL) for those pesticides. 14 samples did not contain any detectable pesticide residues. 57 samples contained residues at or below the relevant MRLs. 1 sample contained a residue above the relevant MRL. 44 samples contained residues of more than one pesticide. We did not find residues of pesticides, not approved for use in the UK, in any of the UK samples.

The Chemicals Regulation Directorate of the Health and Safety Executive (CRD) carried out a risk assessment screen for each residue and food combination to identify residue levels that would lead to intakes above the relevant reference doses. They then produced detailed assessments where the screen showed the actual residue level found may lead to an intake above the reference dose. We have looked carefully at all these findings including the risk assessments provided. In all cases we think the presence of the residues found would be unlikely to have had any effect on the health of anyone who ate the food.

PRiF have considered these results and have had an opportunity to comment on the findings and CRD risk assessments. None of the residues found was likely to result in any adverse health effects for school children.

Information on the pesticide residues found in produce from various points across the food supply chain can be found in the [PRiF Quarterly and Annual Reports](#).

We would like to thank all those individuals and organisations who helped to put this report together. These include the PRiF Secretariat and scientific staff (both based at CRD), the suppliers who provided the samples, and the laboratory staff who undertook the analysis.



Dr Paul Brantom
Chairman Committee on Pesticide Residues in Food

BACKGROUND TO THE SCHOOL FRUIT AND VEGETABLE SCHEME SUPPLIED BY THE DEPARTMENT OF HEALTH



Department
of Health

The School Fruit & Vegetable Scheme entitles all four to six year old children in fully state funded infant, primary and special schools in England to a piece of fruit or vegetable each school day. The scheme is led by the Department of Health and is managed by NHS Supply Chain.

About NHS Supply Chain's relationship with suppliers

Procurement

The supply chain for fruit and vegetables supplied to the School Fruit and Vegetable Scheme (SF&VS) is managed by NHS Supply Chain on behalf of the Department of Health. Contracts are let in accordance with EU Public Procurement Directives. The contracts are for specified time periods, and for named commodities such as apples, pears, soft citrus, bananas, strawberries, cocktail tomatoes and carrots.

Supply Calendar

To ensure the quality remains high contracts have been awarded to a number of UK contractors from producer organisations to major producers and growers. Contractors will source products depending on seasonal availability, throughout the world. The supply calendar is provided to tenderers so that prospective contractors can quote based on realistic volumes. The calendar is seasonally based on the UK climate.

Specifications

Products are purchased from producers and importers who source in accordance with a strict specification designed to ensure safe and nutritious food is provided to schools. Producers work to Good Agriculture Practice standards. These standards incorporate Integrated Pest Management and Integrated Crop Management. The Schemes suppliers follow policy in relation to MRLs and any associated EU amendments. NHS Supply Chain request and receive written submissions from all the Scheme's suppliers to this effect. The specifications for supply to the SF&VS have been drawn up with advice from the Food Standards Agency and Department of Environment, Food and Rural Affairs, HSE, Horticultural Marketing Inspectorate, National Farmers Union and the Fresh Produce Consortium.

Monitoring by the suppliers

Separately to the results in this report, as a condition of their contracts all suppliers agree to undertake a monitoring programme to ensure that any pesticide residues in the produce supplied are below the Maximum Residue Level (MRL). Suppliers must be able to demonstrate 'due diligence' with regard to potential fruit or vegetable contamination with pesticide residues, for example, by complying with codes of practice such as the Fresh Produce Consortium's current Control of Pesticides Code of Practice. Suppliers must liaise closely with growers/packers and undertake appropriate risk-based pesticide residue testing. The minimum requirement for testing is one test per source (packhouse) per season. The

laboratories used to conduct the test must be UKAS accredited and participate in the FAPAS proficiency scheme specific to fruit and vegetables.

About Department of Health's checks for pesticide residues

One of the key measures of quality control for produce supplied under the SF&VS relates to pesticide residues. In common with other produce supplied to the general public, these fruit and vegetables must comply with 'permitted levels' called Maximum Residue Levels (MRLs). MRLs are set for hundreds of different pesticides, although at most only a handful of these will be used on a particular fruit or vegetable. They are specified as a numeric value - typically in the range of 0.01 to 5 milligrams of pesticide per kilogram of fruit or vegetable.

Department of Health work with HSE to check that SF&VS produce complies with MRLs. Samples of scheme fruit and vegetables are obtained from contracted supply companies and subjected to a detailed scientific analysis. The sampling programme ensures that all suppliers contracted to supply fruit and vegetables under the Scheme for a particular term are targeted;



samples are collected in approximate proportion to the number of designated 'consumption days'.

Each sample is tested for over 341 pesticides. Where possible the range of pesticide sought is the same as that being sought as part of the national monitoring programme overseen by the Expert Committee on Pesticide Residues in Food (PRiF).

This list is updated each calendar year which means that direct comparisons with previous surveys is not possible for any new pesticides which have been added to the list.

The results for each sample are carefully scrutinised to determine whether any residues comply with MRLs and whether they would be likely to affect the health of consumers including schoolchildren.

MRLs are set to include residues found in the whole fruit and vegetable (skin and flesh). The samples, even of fruit or vegetables that would generally be peeled before consumption, are not peeled before analysis. The results reported are for the whole fruit and vegetable including the skin.

If a product is found to have exceeded the legal limits HSE will assess the risk to consumers from eating this produce. The result is reported immediately to NHS Supply Chain. They will notify the producer and the grower and ask for a full explanation of why the limit has been exceeded. NHS Supply Chain will assess the response from the producer, and with advice from HSE, will determine whether any future products from this grower should be sourced for the SF&VS.

**Department of Health
February 2015**

PART 1

INTRODUCTION

Pesticides and Food Safety

Food safety is important. Modern food production processes have given us plentiful supplies of a wide range of good quality and reasonably priced produce.

One of the ways to deliver plentiful supplies of reasonably priced, safe, nutritious, quality produce is to carefully control the environment in which foodstuffs are produced. In the food industry of today the production environment can be controlled from the preparation of seeds used for crops, through growth and harvesting to transport, preparation, packaging and retail of the produce.



One aspect of pest, disease or weed control can be the use of pesticides. They help farmers and growers improve the production of foodstuffs by, for example, preventing weeds inhibiting the growth of the crop, or insects destroying or infesting them. Pesticides can also be used to help protect seeds, or enable storage of crops after they have been harvested.

As pesticides are used to control unwanted pests, weeds and diseases, they can potentially also harm people, wildlife and the environment. This is why the UK, in common with most other countries, imposes legally enforceable conditions as to how and when pesticides can be used. No pesticide can be supplied or used on a food crop in the UK without Government authorisation. To obtain this authorisation the manufacturer of the pesticide must show that it does not present a concern for people's health or the environment.

Once the authorisation has been granted, Government authorities carry out follow-up checks to ensure that the authorisation is providing the necessary degree of protection to users, consumers and the environment, and that those who use pesticides are complying with conditions specified within it. It is known that the use of pesticides on crops may lead to traces (residues) of these chemicals in food and they are expected to be found in the monitoring programme.

The Government authority responsible for checking pesticides in foodstuffs is the Chemicals Regulation Directorate. The Expert Committee on Pesticide Residues in Food oversees and provides an independent check on this work. This work was done previously by the Pesticide Residues Committee.

The Defra Expert Committee on Pesticide Residues in Food

The Expert Committee on Pesticide Residues in Food (PRiF) was established in 2011. Members of the Committee have a broad range of expertise relating to the food supply industry. The main function of the Committee is to oversee Government's £2 million pesticide residues surveillance programme. Previously this work was carried out by the Pesticide Residues Committee.



Dr Paul Brantom is an independent consultant in toxicological risk assessment. The Committee also includes members with expertise in toxicology and food production and supply as well as two public interest members.

Information on the membership of the PRiF is also available on the [PRiF's website](#).

Since 1 January 2005 the Chemicals Regulation Directorate (CRD) has been contracted by the Department of Health to undertake pesticide residue monitoring of produce supplied under the School Fruit and Vegetable Scheme (SF&VS). In accordance with the supply calendar CRD arrange for suppliers to submit samples on a regular basis, making sure that each supplier is tested at least once per term. CRD has requested that PRiF consider the results and examines the risk assessments from this monitoring.

PART 2

ASSESSING THE RESULTS

The sampling programme is designed to check that:

- specified pesticide MRLs are being respected;
- users of pesticides are complying with conditions of use specified in the authorisation;
- dietary intakes of residues are within acceptable limits.

Once the analytical results are completed, the findings are assessed to determine if the residues found pose a risk to consumers.

When assessments are carried out

Single Residues

- All results are screened by CRD to check for intakes above the Acute Reference Dose (ARfD)
- Where intakes above the ARfD are identified, we consider a detailed risk assessment prepared by CRD (at Appendix D of this report).
- Our observations and the follow-up action taken are summarised in the section for that food.

Multiple Residues

- Risk assessments are also carried out for residues of more than one pesticide from the same category/class of particular categories of pesticides, which have a similar toxicological mode of action, are screened by CRD to check for intakes above the combined Acute Reference Dose (ARfD).
- Where combined intakes above the combined ARfD are identified, we consider a detailed combined risk assessment prepared by CRD (at Section II of this report).
- Our observations and any follow-up action taken are summarised in the section for that food commodity.

Risk assessment - conclusions

- Where, in the light of current knowledge and considering the usual level of scientific uncertainty (or precaution) the intake will not cause ill health the conclusion will say no effect on health is expected.
- Where, in the light of current knowledge and considering a slightly higher level of scientific uncertainty (or less precaution) the intake is not likely to cause ill health, the conclusion will be less definite and state that an effect on health is unlikely.
- Where scientific uncertainty is greater more information is provided.

Residues in UK produce of pesticides which are not approved for use on that crop in the UK.

- All residues found in UK-produced foods are checked by CRD to make sure the pesticide is approved for use.
- Where no UK approval is identified, details of the sample are referred to CRD's Enforcement Section for follow up. NHS Supply Chain would be informed before referral.
- Our observations and any follow-up action taken to date are summarised in the section for that food commodity. We may have to withhold details of samples while investigations are underway, in which case the details will be published in a later report.

Residues above the MRL, after taking into account measurement uncertainty

- Samples containing residues above the MRL are listed at Appendix B, and those which are clearly above the MRL after taking into account measurement uncertainty of plus or minus 50% are highlighted.
- Our observations and any follow-up action taken are summarised in the section for that food commodity.

Residues in organic food

- We monitor pesticide residues in all the UK food supply, including organic food.
- We are not responsible for checking compliance with the rules associated with organic production. However, when we do detect residues in an organic food we explain whether or not those residues indicate a breach of the rules and inform Defra's Organic Farming Branch in addition to NHS Supply Chain.

Brand Name Annex

- Full brand name details for every sample included in this report are published in a brand name annex. Within this annex, samples with results of interest are highlighted.

Current Issues:

BAC (benzalkonium chloride) and DDAC (didecyldimethylammonium chloride)

BAC and DDAC are quaternary ammonium compounds (QAC) widely used as disinfectants. Disinfection is an important hygiene measure and this is why EU countries agreed to allow the marketing of produce with residues over the default MRL.

In the EU, the regulatory system for biocides covers the supply and use of this sort of disinfectant. However, because such products may also be used to protect plants from disease, residues left on food are covered by the EU's rules on pesticide (plant protection products) residues.

During 2012, it became known that these substances were leaving detectable residues on food after use on surfaces and equipment used for food preparation – for instance disinfecting equipment or water used to wash food before packing. Also it became clear that many in the food industry had not appreciated that residues of these substances were covered by the rules on pesticide residues.

EU countries agreed to allow the marketing of produce with residues over the default MRL up to a temporary guideline level of 0.5 mg/kg for all foods. The European Food Safety Authority (EFSA) have advised this would be safe for all consumer groups. Meanwhile all EU member states agreed to look for BAC and DDAC during monitoring. The results will be used as part of the process of setting specific MRLs that take account of appropriate disinfectant use as well as the safety of residues for consumers. The European Commission has now published new MRLs ([SANCO/10842/2014](#)) where residues may arise from biocide use up to 0.1 mg/kg. The new MRL came in to force on 4 November 2014. To enable Member States, third countries and food business operators to prepare themselves to meet the requirement the enforcement level of 0.5 mg/kg will apply to products produced before 12 August 2015. For the purposes of this report, where samples were collected up to the end of September, We have considered that the temporary guidance level of 0.5 mg/kg shall be applied because it would be have been possible for the chemical to have been applied during the production of the food prior to 12 August.

You can read more about this process on the HSE website:

- <http://www.pesticides.gov.uk/guidance/industries/pesticides/News/Collected-Updates/Regulatory-Updates-2015/August/DDAC-and-BAC-MRLs-UK-enforcement>
- <http://www.pesticides.gov.uk/Resources/CRD/Migrated-Resources/Documents/L/Letter%20to%20QAC%20Stakeholders%20re%20enforcement%20of%20MRLs%20-%20Aug%202015.pdf>

The EU guidelines that can be downloaded from the website explain EFSA's advice to the European Commission on consumer risk:

- [Adoption of EU guidelines concerning the presence of didecyl dimethyl ammonium chloride \(DDAC\) in or on food and feed, 20 July 2012](#)
- [Adoption of EU guidelines concerning the presence of benzalkonium chloride \(BAC\) in or on food and feed, 27 July 2012](#)

We will continue to look for these chemicals and identify residues above 0.1 mg/kg but the enforcement level of 0.5 mg/kg will continue to apply to products produced before 12 August 2015.

PART 3

THE RESULTS



Apples

Full details of pesticides sought and residues detected are in Table 3 at page 18
Suppliers details are in the Brand Name Annex at page 57

Results

- 12 samples were tested for up to 348 pesticide residues

Eating Apples

- 11 samples were imported from non-EC countries
- 1 sample imported from the EC
- All samples contained residues
- All of the samples contained residues below the relevant MRL
- 12 samples contained residues of more than one pesticide

Conclusions

The laboratory detected 11 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health.



Bananas

Full details of pesticides sought and residues detected are in Table 4 at page 22
Suppliers details are in the Brand Name Annex at page 59

Results

- 14 samples were tested for up to 344 pesticide residues
- 14 samples were imported from non-EC countries
- 3 samples tested did not contain any detectable residues
- 11 of the samples contained residues below the relevant MRLs
- 11 samples contained residues of more than one pesticide

Conclusions

The laboratory detected 7 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health.



Carrots

Full details of pesticides sought and residues detected are in Table 5 at page 26
Suppliers details are in the Brand Name Annex at page 61

Results

- 11 samples were tested for up to 344 pesticide residues

Fresh carrots

- 8 samples came from the UK
- 3 samples imported from the EC
- 3 samples tested did not contain any detectable residues
- 8 of the samples contained residues below the relevant MRLs
- 3 samples contained residues of more than one pesticide

Conclusions

The laboratory detected 4 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health.



Dried Raisins and Sultanas

Full details of pesticides sought and residues detected are in Table 6 at page 30
Suppliers details are in the Brand Name Annex at page 62

Results

- 4 samples were tested for up to 346 pesticide residues
- 4 samples were imported from non-EC countries
- All samples contained residues
- All of the samples contained residues below the relevant MRL
- 4 samples contained residues of more than one pesticide

Conclusions

The laboratory detected 17 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health.



Soft Citrus

Full details of pesticides sought and residues detected are in Table 7 at page 35

Risk assessments carried out by CRD are at page 53

Suppliers details are in the Brand Name Annex at page 64

Results

- 12 samples were tested for up to 343 pesticide residues

Clementine

- 4 samples were imported from non-EC countries
- 1 sample imported from the EC

Mandarin

- 1 sample imported from the EC

Satsuma

- 6 samples were imported from non-EC countries
- All samples contained residues
- 11 of the samples contained residues below the relevant MRLs
- 1 sample of mandarin contained a residue of DDAC above the MRL (see appendix D)
- 12 samples contained residues of more than one pesticide

Conclusions

The laboratory detected 13 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health where the soft citrus fruits are eaten peeled (see risk assessment in appendix D).



Strawberries

Full details of pesticides sought and residues detected are in Table 8 at page 40
Suppliers details are in the Brand Name Annex at page 66

Results

- 2 samples were tested for up to 343 pesticide residues
- 2 samples came from the UK
- All samples contained residues
- All of the samples contained residues below the relevant MRL
- 2 samples contained residues of more than one pesticide

Conclusions

The laboratory detected 8 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health.



Sugarsnap Peas

Full details of pesticides sought and residues detected are in Table 9 at page 44
Suppliers details are in the Brand Name Annex at page 67

Results

- 6 samples were tested for up to 342 pesticide residues
- 6 samples came from the UK
- 6 samples tested did not contain any detectable residues
- None of the samples contained residues below the relevant MRL
- None of the samples contained residues of more than one pesticide

Conclusions

The laboratory did not detect any residues at or above the reporting limit.



Tomatoes

Full details of pesticides sought and residues detected are in Table 10 at page 46
Suppliers details are in the Brand Name Annex at page 68

Results

- 11 samples were tested for up to 346 pesticide residues

Cherry tomatoes

- 11 samples imported from the EC
- 2 samples tested did not contain any detectable residues
- 9 of the samples contained residues below the relevant MRLs
- None of the samples contained residues of more than one pesticide

Conclusions

The laboratory detected 4 different pesticide residues. Following the Chemicals Regulation Directorate (CRD)'s risk assessment, we do not expect these residues to have an effect on health.

APPENDIX A

Summary of results

Table 1: Summary of Results

Commodity	Number of samples	Samples with no residues found	Samples with residues at or below MRL	Samples with residues above MRL	UK samples containing non-approved pesticide	Samples with multiple residues
Apples	12	0	12	0	0	12
Bananas	14	3	11	0	0	11
Carrots	11	3	8	0	0	3
Raisins	4	0	4	0	0	4
Soft Citrus	12	0	11	1	0	12
Strawberries	2	0	2	0	0	2
Sugarsnap	6	6	0	0	0	0
Tomatoes	11	2	9	0	0	0

N/A applies where either the commodity is not grown in the UK or no UK-grown samples were tested.

Maximum Residue Levels

Maximum Residue Levels (MRLs) reflect levels of pesticides expected in produce, which has been treated in accordance with good agricultural practice. Where pesticides do not give rise to readily detectable residues, or are not approved for use on particular commodities, MRLs are set at the lowest level which can be identified in routine laboratory analysis. Thus, they provide a mechanism for statutory controls on pesticides in produce which is put into circulation and for monitoring correct use of these chemicals.

MRLs are established by the EC Maximum Residues Regulation 396/2005/EC and are enforced in the UK under the Pesticides (Maximum Residue Levels) (England and Wales) Regulations 2008, the Pesticides (Maximum Residue Levels) (Scotland) Regulations 2008 and the Pesticides (Maximum Residue Levels) Regulations (Northern Ireland) 2008.

APPENDIX B

Summary of residues over the MRL and non-approved uses

Table 2: Residues over the MRL

PRiF Sample ID	Commodity	Country of Origin	Pesticides detected	Residue detected (mg/kg)	MRL (mg/kg)	Residue over MRL after allowing for measurement uncertainty
3570/2015	Nadorcott Mandarins	Spain	DDAC (sum)	0.2	0.1	No

The Department of Health have contacted the supplier of the sample with residues above the MRL. Any comments received are in Appendix E.

Measurement uncertainty

In 2009 the Pesticides Residues Committee agreed a policy of applying a default measurement uncertainty value of 50% to all results that measure above the MRL, unless there are particular safety reasons why a more accurate value should be used. If that is considered necessary we will explain why.

Using a measurement uncertainty value of 50% means the residue detected could be plus or minus 50% of the stated value. The PRiF will continue to apply this policy, so only when the lowest estimated level is above the MRL do the PRiF consider this result as an exceedance.

This uncertainty only applies to measurement of the size of residue. The identity of the pesticide detected has been confirmed.

Where the measured value does not exceed the MRL when measurement uncertainty is taken into account the value will not be highlighted as an exceedance in the Supplier Details section. The actual measured value will be used throughout the report and will be followed up with suppliers by CRD but with due reference to the implications of measurement uncertainty.

Further information about measurement uncertainty can be found on the [PRiF website](#).

* Maximum Residue Levels set at the LOD (LOD MRL)

These MRLs are set at a default level, i.e. at the limit of determination (LOD) where analytical methods can reasonably detect the presence of the pesticide. Either insufficient trials data are available on which to set a maximum residue level or there may be no use of the pesticide on that crop in the EU. However they may be permitted elsewhere.

UK Non-approved Uses

None.

APPENDIX C

Pesticides sought and found in individual commodities sampled between April and July 2015

Table 3a:	Analysis of SF&VS apples sampled from April to June 2015
Table 3b:	Residues found in SF&VS apples sampled from April to June 2015
Table 3c:	Pesticides sought but not found in SF&VS apples sampled from April to June 2015
Table 4a:	Analysis of SF&VS bananas sampled from April to July 2015
Table 4b:	Residues found in SF&VS bananas sampled from April to July 2015
Table 4c:	Pesticides sought but not found in SF&VS bananas sampled from April to July 2015
Table 5a:	Analysis of SF&VS carrots sampled from April to July 2015
Table 5b:	Residues found in SF&VS carrots sampled from April to July 2015
Table 5c:	Pesticides sought but not found in SF&VS carrots sampled from April to July 2015
Table 6a:	Analysis of SF&VS raisins sampled from May to July 2015
Table 6b:	Residues found in SF&VS raisins sampled from May to July 2015
Table 6c:	Pesticides sought but not found in SF&VS raisins sampled from May to July 2015
Table 7a:	Analysis of SF&VS soft citrus sampled from April to July 2015
Table 7b:	Residues found in SF&VS soft citrus sampled from April to July 2015
Table 7c:	Pesticides sought but not found in SF&VS soft citrus sampled from April to July 2015
Table 8a:	Analysis of SF&VS strawberries sampled in June 2015
Table 8b:	Residues found in SF&VS strawberries sampled in June 2015
Table 8c:	Pesticides sought but not found in SF&VS strawberries sampled in June 2015
Table 9a:	Analysis of SF&VS sugarsnap peas sampled in June and July 2015
Table 10a:	Analysis of SF&VS tomatoes sampled from April to July 2015
Table 10b:	Residues found in SF&VS tomatoes sampled from April to July 2015
Table 10c:	Pesticides sought but not found in SF&VS tomatoes sampled from April to July 2015

The quantity of produce sampled is determined by EC Commission Directive 2002/63/EC:

- A sample of apples must weigh a minimum 1.2kg and contain at least 12 apples.
- A sample of bananas must weigh a minimum 1.2kg and contain at least 12 bananas.
- A sample of carrots must weigh a minimum 1.2kg and contain at least 12 carrots.
- A sample of pears must weigh a minimum 1.2kg and contain at least 12 pears.
- A sample of raisins must weigh a minimum 1.2kg.
- A sample of soft citrus must weigh a minimum 1.2kg and contain at least 12 soft citrus.
- A sample of strawberries must weigh a minimum 1.2kg.
- A sample of sugarsnap peas must weigh a minimum 1.2kg.
- A sample of tomatoes must weigh a minimum 1.2kg and contain at least 12 tomatoes.

All of the produce in a sample must be of the same variety and must be from the same batch of the commodity. MRLs are set to include residues found in the whole fruit (skin and flesh). The samples are not peeled before analysis. The results reported are for the whole fruit including the skin.

Table 3a. Analysis of APPLES sampled from April to June 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
APPLES, EATING Imported (Non-EC): 11 samples analysed		
acetamiprid (MRL = 0.8)	<0.01 (i.e. not found) 0.01, 0.06	9 2
chlorantraniliprole (MRL = 0.5)	<0.01 (i.e. not found) 0.01 - 0.03	5 6
dithiocarbamates (MRL = 5)	<0.05 (i.e. not found) 0.09 - 0.4	0 11
indoxacarb (MRL = 0.5)	<0.01 (i.e. not found) 0.01 - 0.03	8 3
pyrimethanil (MRL = 7) (MRL = 15)	<0.05 (i.e. not found) 0.09, 0.7 1.1, 1.8	7 2 2
thiacloprid (MRL = 0.3)	<0.01 (i.e. not found) 0.01 - 0.06	1 10
APPLES, EATING Imported (EC): 1 samples analysed		
boscalid (MRL = 2)	<0.01 (i.e. not found) 0.03	0 1
captan (MRL = 3)	<0.02 (i.e. not found) 0.04	0 1
captan and folpet (MRL = 3)	<0.02 (i.e. not found) 0.04	0 1
dithiocarbamates (MRL = 5)	<0.05 (i.e. not found) 0.1	0 1
fenpyroximate (MRL = 0.3)	<0.01 (i.e. not found) 0.02	0 1
methoxyfenozide (MRL = 2)	<0.01 (i.e. not found) 0.03	0 1

Imported (EC) samples of apples were from Poland (1).

Imported (Non-EC) samples of apples were from South Africa (11).

Residues were distributed by country of origin, as follows:

acetamiprid	South Africa (2)
boscalid	Poland (1)
captan	Poland (1)
captan and folpet	Poland (1)
chlorantraniliprole	South Africa (6)
dithiocarbamates	Poland (1), South Africa (11)
fenpyroximate	Poland (1)
indoxacarb	South Africa (3)
methoxyfenozide	Poland (1)
pyrimethanil	South Africa (4)
thiacloprid	South Africa (10)

Residues were found in all of the 11 Imported (Non-EC) eating samples

Residues were found in all of the 1 Imported (EC) eating samples

Table 3b. Residues found in APPLES sampled from April to June 2015

Residues (2-6 compounds) were found in 12 of the 12 samples as follows:

Number of residues	Sample ID	Type of APPLES	Residues found (mg/kg)											Country of origin
			ACET	BOS	CAP	CPFOL	CTP	DTC	FNPY	IDX	MXF	PYM	THC	
(2)	5050/2015	EATING	-	-	-	-	-	0.09	-	-	-	1.1	-	South Africa
(3)	3532/2015	EATING	-	-	-	-	0.03	0.2	-	-	-	-	0.05	South Africa
	3571/2015	EATING	-	-	-	-	-	0.1	-	0.03	-	-	0.01	South Africa
	3832/2015	EATING	-	-	-	-	0.01	0.3	-	-	-	-	0.03	South Africa
	5020/2015	EATING	0.01	-	-	-	-	0.2	-	-	-	-	0.04	South Africa
	5029/2015	EATING	-	-	-	-	0.03	0.2	-	-	-	-	0.03	South Africa
	5030/2015	EATING	-	-	-	-	0.03	0.2	-	-	-	-	0.03	South Africa
(4)	5046/2015	EATING	-	-	-	-	0.02	0.3	-	-	-	-	0.06	South Africa
	3537/2015	EATING	-	-	-	-	-	0.3	-	0.02	-	0.7	0.03	South Africa
(5)	3584/2015	EATING	-	-	-	-	0.01	0.1	-	-	-	0.09	0.03	South Africa
	5016/2015	EATING	0.06	-	-	-	-	0.4	-	0.01	-	1.8	0.01	South Africa
(6)	3569/2015	EATING	-	0.03	0.04	0.04	-	0.1	0.02	-	0.03	-	-	Poland

The abbreviations used for the pesticide names are as follows:

ACET	acetamiprid	BOS	boscalid	CAP	captan
CPFOL	captan and folpet	CTP	chlorantraniliprole	DTC	dithiocarbamates
FNPY	fenpyroximate	IDX	indoxacarb	MXF	methoxyfenozide
PYM	pyrimethanil	THC	thiacloprid		

Table 3c. Residues sought but not found in APPLES sampled from April to June 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	ethiofencarb (parent) (0.01)	monolinuron (0.01)
2,4-D (sum) (0.01)	ethion (0.01)	Monuron (0.01)
2,4-DB (0.01)	ethirimol (0.01)	myclobutanil (0.01)
2-phenylphenol (0.05)	ethofumesate (0.01)	napropamide (0.05)
6-benzyladenine (0.01)	ethoprophos (0.01)	nitenpyram (0.01)
abamectin (sum) (0.01)	etofenprox (0.01)	nitrothal-isopropyl (0.01)
acephate (0.01)	etoxazole (0.02)	nuarimol (0.01)
acetochlor (0.01)	etridiazole (0.05)	ofurace (0.01)
acibenzolar-s-methyl (0.02)	etrimfos (0.01)	Oxadiargyl (0.01)
aclonifen (0.05)	famoxadone (0.01)	oxadixyl (0.01)
acrinathrin (0.05)	fenamidone (0.01)	oxamyl (0.01)
alachlor (0.01)	fenamiphos (sum) (0.01)	oxasulfuron (0.01)
aldicarb (sum) (0.01)	fenarimol (0.01)	oxydemeton-methyl (sum) (0.01)
aldrin and dieldrin (0.01)	fenazaquin (0.01)	oxyfluorfen (0.05)
alpha-HCH (0.01)	fenbuconazole (0.01)	paclobutrazol (0.01)
ametoctradin (0.01)	fenbutatin oxide (0.05)	parathion (0.01)
amidosulfuron (0.01)	fenhexamid (0.05)	parathion-methyl (sum) (0.01)
amitraz (0.01)	fenitrothion (0.01)	penconazole (0.01)
anthraquinone (0.01)	fenoxycarb (0.01)	pencycuron (0.01)
asulam (0.05)	fenpropathrin (0.01)	pendimethalin (0.01)
atrazine (0.01)	fenpropidin (0.05)	pentanochlor (0.01)
azinphos-methyl (0.02)	fenpropimorph (0.01)	permethrin (0.01)
azoxystrobin (0.01)	fensulfothion (sum) (0.01)	phenmedipham (0.05)
BAC (sum) (0.05)	fenthion (partial sum) (0.01)	phenthoate (0.01)
benalaxyl (0.01)	fenvalerate & esfenvalerate (all isomers) (0.01)	phorate (partial sum) (0.02)
bendiocarb (0.01)	fipronil (sum) (0.01)	phosalone (0.01)
benfuracarb (0.01)	flonicamid (sum) (0.01)	phosmet (sum) (0.01)
benthiavalecarb (sum) (0.01)	fluazifop-p-butyl (sum) (0.01)	phosphamidon (0.01)
beta-HCH (0.01)	fluazinam (0.01)	phoxim (0.01)
bifenthrin (0.01)	flubendiamide (0.01)	picolinafen (0.01)
biphenyl (0.01)	flucythrinate (0.05)	picoxystrobin (0.01)
bispyribac-sodium (0.01)	fludioxonil (0.01)	piperonyl butoxide (0.01)
bitertanol (0.01)	flufenacet (0.01)	pirimicarb (sum) (0.01)
bromophos-ethyl (0.01)	flufenoxuron (0.02)	pirimiphos-ethyl (0.01)
bromopropylate (0.01)	fluometuron (0.01)	pirimiphos-methyl (0.01)
bromoxynil (0.01)	fluopicolide (0.01)	prochloraz (parent only) (0.01)
bromuconazole (0.01)	fluopyram (0.01)	Prochloraz (sum) (0.01)
bupirimate (0.01)	fluoxastrobin (0.01)	procymidone (0.01)
buprofezin (0.01)	fluquinconazole (0.01)	profenofos (0.01)
butachlor (0.01)	flurochloridone (0.05)	promecarb (0.01)
butocarboxim (parent) (0.01)	fluroxypyr (sum) (0.05)	prometryn (0.01)
butoxycarboxim (0.01)	flusilazole (0.01)	propachlor (0.01)
cadusafos (0.01)	flutolanil (0.01)	propamocarb (0.01)
carbaryl (0.01)	flutriafol (0.01)	propaquizafop (0.05)
carbendazim (0.01)	fluxapyroxad (0.01)	propargite (0.01)
carbofuran (sum) (0.01)	folpet (0.01)	propetamphos (0.01)
carbosulfan (0.01)	fonofos (0.01)	propiconazole (0.01)
carboxin (0.05)	formetanate (0.05)	propoxur (0.01)
chlorbufam (0.05)	formothion (0.01)	propyzamide (0.01)
chlordan (sum) (0.01)	fosthiazate (0.01)	proquinazid (0.01)
chlorfenapyr (0.02)	furalaxyl (0.01)	prosulfocarb (0.05)
chlorfenvinphos (0.01)	furathiocarb (0.01)	prosulfuron (0.02)
chloridazon (0.01)	furmecyclox (0.01)	prothioconazole (0.01)
chlorothalonil (0.01)	halofenozide (0.01)	prothiofos (0.01)
chlorpropham (sum) (0.05)	halosulfuron-methyl (0.01)	pymetrozine (0.01)
chlorpyrifos (0.01)	haloxyfop (sum) (0.01)	pyraclostrobin (0.01)
chlorpyrifos-methyl (0.01)	Heptachlor (sum) (0.01)	pyrazophos (0.01)

chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolinat (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)
 cypermethrin (0.05)
 cyproconazole (0.01)
 cyprodinil (0.05)

cyromazine (0.05)
 DDAC (sum) (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)
 desmedipham (0.05)
 diafenthiuron (0.05)
 diazinon (0.01)
 dichlobenil (0.05)

dichlofluanid (0.01)
 dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicrotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 dithianon (0.02)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)
 epoxiconazole (0.01)
 EPTC (0.05)

heptenophos (0.01)
 hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 imazalil (0.02)
 imidacloprid (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)
 isoxaben (0.01)
 isoxaflutole (0.01)

kresoxim-methyl (0.01)
 lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 linuron (0.01)
 lufenuron (0.02)
 malathion (0.01)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metalaxyl (0.01)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)
 molinate (0.01)
 monocrotophos (0.01)

pyrethrins (0.01)
 pyridaben (0.01)
 pyridaphenthion (0.01)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxyfen (0.01)
 quintozene (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spirotetramat (sum) (0.01)
 spiroxamine (0.01)
 sulcotrione (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebuconazole (0.01)
 tebufenozide (0.01)
 tebufenpyrad (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)
 terbufos (0.01)

Terbufos (sum not defintion) (0.01)
 terbuthylazine (0.05)
 tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiabendazole (0.05)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

Table 4a. Analysis of BANANA sampled from April to July 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
BANANA, Imported (Non-EC): 14 samples analysed		
azoxystrobin (MRL = 2)	<0.01 (i.e. not found) 0.05, 0.06	12 2
bifenthrin (MRL = 0.1)	<0.01 (i.e. not found) 0.01 - 0.02	11 3
buprofezin (MRL = 0.5)	<0.01 (i.e. not found) 0.02	13 1
chlorpyrifos (MRL = 3)	<0.01 (i.e. not found) 0.02	12 2
fenpropimorph (MRL = 2)	<0.01 (i.e. not found) 0.01	13 1
imazalil (MRL = 2)	<0.02 (i.e. not found) 0.04 - 0.3	3 11
thiabendazole (MRL = 5)	<0.05 (i.e. not found) 0.05 - 0.2	5 9

Imported (Non-EC) samples of banana were from Colombia (3), Costa Rica (8), Dominican Republic (3).

Residues were distributed by country of origin, as follows:

azoxystrobin	Costa Rica (2)
bifenthrin	Costa Rica (3)
buprofezin	Costa Rica (1)
chlorpyrifos	Colombia (1), Costa Rica (1)
fenpropimorph	Costa Rica (1)
imazalil	Colombia (3), Costa Rica (8)
thiabendazole	Colombia (3), Costa Rica (6)

No residues were found in 3 of the 14 Imported (Non-EC) samples

Table 4b. Residues found in BANANA sampled from April to July 2015

Residues (2-4 compounds) were found in 11 of the 14 samples as follows:

Number of residues	Sample ID	Residues found (mg/kg)							Country of origin
		AZOX	BIF	BUF	CPF	FNPM	IMZ	TBZ	
(2)	3521/2015	-	-	-	-	-	0.2	0.09	Colombia
	3840/2015	-	-	-	-	-	0.1	0.09	Colombia
	3514/2015	-	-	-	-	-	0.1	0.1	Costa Rica
	3774/2015	0.05	-	-	-	-	0.04	-	Costa Rica
	3817/2015	-	-	-	-	-	0.2	0.1	Costa Rica
	3818/2015	-	-	-	-	-	0.3	0.2	Costa Rica
(3)	3842/2015	-	-	-	0.02	-	0.1	0.05	Colombia
	3513/2015	-	0.01	-	-	-	0.1	0.1	Costa Rica
	3779/2015	-	-	-	0.02	-	0.1	0.1	Costa Rica
(4)	5056/2015	-	0.02	0.02	-	-	0.1	0.1	Costa Rica
	5057/2015	0.06	0.01	-	-	0.01	0.04	-	Costa Rica

The abbreviations used for the pesticide names are as follows:

AZOX	azoxystrobin	BIF	bifenthrin	BUF	buprofezin
CPF	chlorpyrifos	FNPM	fenpropimorph	IMZ	imazalil
TBZ	thiabendazole				

Table 4c. Residues sought but not found in BANANA sampled from April to July 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	ethion (0.01)	Monuron (0.01)
2,4-D (sum) (0.01)	ethirimol (0.01)	myclobutanil (0.01)
2,4-DB (0.01)	ethofumesate (0.01)	napropamide (0.05)
2-phenylphenol (0.05)	ethoprophos (0.01)	nitenpyram (0.01)
6-benzyladenine (0.01)	etofenprox (0.01)	nitrothal-isopropyl (0.01)
abamectin (sum) (0.01)	etoxazole (0.02)	nuarimol (0.01)
acephate (0.01)	etridiazole (0.05)	ofurace (0.01)
acetamiprid (0.01)	etrimfos (0.01)	Oxadiargyl (0.01)
acetochlor (0.01)	famoxadone (0.01)	oxadixyl (0.01)
acibenzolar-s-methyl (0.02)	fenamidone (0.01)	oxamyl (0.01)
aclonifen (0.05)	fenamiphos (sum) (0.01)	oxasulfuron (0.01)
acrinathrin (0.05)	fenarimol (0.01)	oxydemeton-methyl (sum) (0.01)
alachlor (0.01)	fenazaquin (0.01)	oxyfluorfen (0.05)
aldicarb (sum) (0.01)	fenbuconazole (0.01)	paclobutrazol (0.01)
aldrin and dieldrin (0.01)	fenbutatin oxide (0.05)	parathion (0.01)
alpha-HCH (0.01)	fenhexamid (0.05)	parathion-methyl (sum) (0.01)
ametoctradin (0.01)	fenitrothion (0.01)	penconazole (0.01)
amidosulfuron (0.01)	fenoxycarb (0.01)	pencycuron (0.01)
amitraz (0.01)	fenpropathrin (0.01)	pendimethalin (0.01)
anthraquinone (0.01)	fenpropidin (0.05)	pentanochlor (0.01)
asulam (0.05)	fenpyroximate (0.01)	permethrin (0.01)
atrazine (0.01)	fensulfothion (sum) (0.01)	phenmedipham (0.05)
azinphos-methyl (0.02)	fenthion (partial sum) (0.01)	phenthoate (0.01)
BAC (sum) (0.05)	fenvalerate & esfenvalerate (all isomers) (0.01)	phorate (partial sum) (0.02)
benalaxyl (0.01)	fipronil (sum) (0.01)	phosalone (0.01)
bendiocarb (0.01)	fonicamid (sum) (0.01)	phosmet (sum) (0.01)
benfuracarb (0.01)	fluazifop-p-butyl (sum) (0.01)	phosphamidon (0.01)
benthiavalicarb (sum) (0.01)	fluazinam (0.01)	phoxim (0.01)
beta-HCH (0.01)	flubendiamide (0.01)	picolinafen (0.01)
biphenyl (0.01)	flucythrinate (0.05)	picoxystrobin (0.01)
bispyribac-sodium (0.01)	fludioxonil (0.01)	piperonyl butoxide (0.01)
bitertanol (0.01)	flufenacet (0.01)	pirimicarb (sum) (0.01)
boscalid (0.01)	flufenoxuron (0.02)	pirimiphos-ethyl (0.01)
bromophos-ethyl (0.01)	fluometuron (0.01)	pirimiphos-methyl (0.01)
bromopropylate (0.01)	fluopicolide (0.01)	prochloraz (parent only) (0.01)
bromoxynil (0.01)	fluopyram (0.01)	Prochloraz (sum) (0.01)
bromuconazole (0.01)	fluoxastrobin (0.01)	procymidone (0.01)
bupirimate (0.01)	fluquinconazole (0.01)	profenofos (0.01)
butachlor (0.01)	flurochloridone (0.05)	promecarb (0.01)
butocarboxim (parent) (0.01)	fluroxypyr (sum) (0.05)	prometryn (0.01)
butoxycarboxim (0.01)	flusilazole (0.01)	propachlor (0.01)
cadusafos (0.01)	flutolanil (0.01)	propamocarb (0.01)
captan (0.02)	flutriafol (0.01)	propaquizafop (0.05)
carbaryl (0.01)	fluxapyroxad (0.01)	propargite (0.01)
carbendazim (0.01)	folpet (0.01)	propetamphos (0.01)
carbofuran (sum) (0.01)	fonofos (0.01)	propiconazole (0.01)
carbosulfan (0.01)	formetanate (0.05)	propoxur (0.01)
carboxin (0.05)	formothion (0.01)	propyzamide (0.01)
chlorantraniliprole (0.01)	fosthiazate (0.01)	proquinazid (0.01)
chlorbufam (0.05)	furalaxyl (0.01)	prosulfocarb (0.05)
chlordan (sum) (0.01)	furathiocarb (0.01)	prosulfuron (0.02)
chlorfenapyr (0.02)	furmecyclox (0.01)	prothioconazole (0.01)
chlorfenvinphos (0.01)	halofenozide (0.01)	prothiofos (0.01)
chloridazon (0.01)	halosulfuron-methyl (0.01)	pymetrozine (0.01)
chlorothalonil (0.01)	haloxyfop (sum) (0.01)	pyraclostrobin (0.01)
chlorpropham (sum) (0.05)	Heptachlor (sum) (0.01)	pyrazophos (0.01)
chlorpyrifos-methyl (0.01)	heptenophos (0.01)	pyrethrins (0.01)

chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolinate (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)
 cypermethrin (0.05)
 cyproconazole (0.01)
 cyprodinil (0.05)

cyromazine (0.05)
 DDAC (sum) (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)
 desmedipham (0.05)
 diazinon (0.01)
 dichlobenil (0.05)

dichlofluanid (0.01)
 dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicrotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 dithiocarbamates (0.05)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)
 epoxiconazole (0.01)
 EPTC (0.05)
 ethiofencarb (parent) (0.01)

hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 imidacloprid (0.01)
 indoxacarb (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)
 isoxaben (0.01)
 isoxaflutole (0.01)
 kresoxim-methyl (0.01)

lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 linuron (0.01)
 lufenuron (0.02)
 malathion (0.01)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metalaxyl (0.01)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 methoxyfenozide (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)
 monocrotophos (0.01)
 monolinuron (0.01)

pyridaben (0.01)
 pyridaphenthion (0.01)
 pyrimethanil (0.05)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxyfen (0.01)
 quintozene (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spirotetramat (sum) (0.01)
 spiroxamine (0.01)
 sulcotrione (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebuconazole (0.01)
 tebufenozide (0.01)
 tebufenpyrad (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)

terbufos (0.01)
 Terbufos (sum not defintion) (0.01)
 terbuthylazine (0.05)
 tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiacloprid (0.01)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

Table 5a. Analysis of CARROT sampled from April to July 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
CARROT, FRESH UK: 8 samples analysed		
BAC (sum) (MRL = 0.1)	<0.05 (i.e. not found) 0.05, 0.06	6 2
boscalid (MRL = 2)	<0.01 (i.e. not found) 0.02 - 0.05	4 4
linuron (MRL = 0.2)	<0.01 (i.e. not found) 0.01	7 1
tebuconazole (MRL = 0.4)	<0.01 (i.e. not found) 0.01	7 1
CARROT, FRESH Imported (EC): 3 samples analysed		
boscalid (MRL = 2)	<0.01 (i.e. not found) 0.07	2 1
linuron (MRL = 0.2)	<0.01 (i.e. not found) 0.01, 0.03	1 2

Imported (EC) samples of carrot were from France (2), the Netherlands (1).
UK samples of carrot were (8).

Residues were distributed by country of origin, as follows:

BAC (sum)	UK (2)
boscalid	the Netherlands (1), UK (4)
linuron	France (2), UK (1)
tebuconazole	UK (1)

No residues were found in 3 of the 8 UK fresh samples
Residues were found in all of the 3 Imported (EC) fresh samples

Table 5b. Residues found in CARROT sampled from April to July 2015

Residues (1-2 compounds) were found in 8 of the 11 samples as follows:

Number of residues	Sample ID	Type of CARROT	Residues found (mg/kg)				Country of origin
			BACSM	BOS	LNR	TBC	
(1)	3505/2015	FRESH	-	0.02	-	-	UK
	3587/2015	FRESH	-	0.05	-	-	UK
	3787/2015	FRESH	-	-	0.03	-	France
	3799/2015	FRESH	-	-	0.01	-	France
	3585/2015	FRESH	-	0.07	-	-	the Netherlands
(2)	3506/2015	FRESH	0.06	0.02	-	-	UK
	3773/2015	FRESH	-	0.04	-	0.01	UK
	3788/2015	FRESH	0.05	-	0.01	-	UK

The abbreviations used for the pesticide names are as follows:

BACSM	BAC (sum)	BOS	boscalid	LNR	linuron
TBC	tebuconazole				

Table 5c. Residues sought but not found in CARROT sampled from April to July 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	ethion (0.01)	monolinuron (0.01)
2,4-D (sum) (0.01)	ethirimol (0.01)	Monuron (0.01)
2,4-DB (0.01)	ethofumesate (0.01)	myclobutanil (0.01)
2-phenylphenol (0.05)	ethoprophos (0.01)	napropamide (0.05)
6-benzyladenine (0.01)	etofenprox (0.01)	nitenpyram (0.01)
abamectin (sum) (0.01)	etoxazole (0.02)	nitrothal-isopropyl (0.01)
acephate (0.01)	etridiazole (0.05)	nuarimol (0.01)
acetamiprid (0.01)	etrimfos (0.01)	ofurace (0.01)
acetochlor (0.01)	famoxadone (0.01)	Oxadiargyl (0.01)
acibenzolar-s-methyl (0.02)	fenamidone (0.01)	oxadixyl (0.01)
aclonifen (0.05)	fenamiphos (sum) (0.01)	oxamyl (0.01)
acrinathrin (0.05)	fenarimol (0.01)	oxasulfuron (0.01)
alachlor (0.01)	fenazaquin (0.01)	oxydemeton-methyl (sum) (0.01)
aldicarb (sum) (0.01)	fenbuconazole (0.01)	oxyfluorfen (0.05)
aldrin and dieldrin (0.01)	fenbutatin oxide (0.05)	paclobutrazol (0.01)
alpha-HCH (0.01)	fenhexamid (0.05)	parathion (0.01)
ametoctradin (0.01)	fenitrothion (0.01)	parathion-methyl (sum) (0.01)
amidosulfuron (0.01)	fenoxycarb (0.01)	penconazole (0.01)
amitraz (0.01)	fenpropathrin (0.01)	pencycuron (0.01)
anthraquinone (0.01)	fenpropidin (0.05)	pendimethalin (0.01)
asulam (0.05)	fenpropimorph (0.01)	pentanochlor (0.01)
atrazine (0.01)	fenpyroximate (0.01)	permethrin (0.01)
azinphos-methyl (0.02)	fensulfothion (sum) (0.01)	phenmedipham (0.05)
azoxystrobin (0.01)	fenthion (partial sum) (0.01)	phenthoate (0.01)
benalaxyl (0.01)	fenvalerate & esfenvalerate (all isomers) (0.01)	phorate (partial sum) (0.02)
bendiocarb (0.01)	fipronil (sum) (0.01)	phosalone (0.01)
benfuracarb (0.01)	flonicamid (sum) (0.01)	phosmet (sum) (0.01)
benthiavalicarb (sum) (0.01)	fluazifop-p-butyl (sum) (0.01)	phosphamidon (0.01)
beta-HCH (0.01)	fluazinam (0.01)	phoxim (0.01)
bifenthrin (0.01)	flubendiamide (0.01)	picolinafen (0.01)
biphenyl (0.01)	flucythrinate (0.05)	picoxystrobin (0.01)
bispyribac-sodium (0.01)	fludioxonil (0.01)	piperonyl butoxide (0.01)
bitertanol (0.01)	flufenacet (0.01)	pirimicarb (sum) (0.01)
bromophos-ethyl (0.01)	flufenoxuron (0.02)	pirimiphos-ethyl (0.01)
bromopropylate (0.01)	fluometuron (0.01)	pirimiphos-methyl (0.01)
bromoxynil (0.01)	fluopicolide (0.01)	prochloraz (parent only) (0.01)
bromuconazole (0.01)	fluopyram (0.01)	Prochloraz (sum) (0.01)
bupirimate (0.01)	fluoxastrobin (0.01)	procymidone (0.01)
buprofezin (0.01)	fluquinconazole (0.01)	profenofos (0.01)
butachlor (0.01)	flurochloridone (0.05)	promecarb (0.01)
butocarboxim (parent) (0.01)	fluroxypyr (sum) (0.05)	prometryn (0.01)
butoxycarboxim (0.01)	flusilazole (0.01)	propachlor (0.01)
cadusafos (0.01)	flutolanil (0.01)	propamocarb (0.01)
captan (0.02)	flutriafol (0.01)	propaquizafop (0.05)
carbaryl (0.01)	fluxapyroxad (0.01)	propargite (0.01)
carbendazim (0.01)	folpet (0.01)	propetamphos (0.01)
carbofuran (sum) (0.01)	fonofos (0.01)	propiconazole (0.01)
carbosulfan (0.01)	formetanate (0.05)	propoxur (0.01)
carboxin (0.05)	formothion (0.01)	propyzamide (0.01)
chlorantraniliprole (0.01)	fosthiazate (0.01)	proquinazid (0.01)
chlorbufam (0.05)	furalaxyl (0.01)	prosulfocarb (0.05)
chlordane (sum) (0.01)	furathiocarb (0.01)	prosulfuron (0.02)
chlorfenapyr (0.02)	furmecyclox (0.01)	prothioconazole (0.01)
chlorfenvinphos (0.01)	halofenozide (0.01)	prothiofos (0.01)
chloridazon (0.01)	halosulfuron-methyl (0.01)	pymetrozine (0.01)
chlorothalonil (0.01)	haloxyfop (sum) (0.01)	pyraclostrobin (0.01)
chlorpropham (sum) (0.05)	Heptachlor (sum) (0.01)	pyrazophos (0.01)

chlorpyrifos (0.01)
 chlorpyrifos-methyl (0.01)
 chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolinate (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)
 cypermethrin (0.05)
 cyproconazole (0.01)

cyprodinil (0.05)
 cyromazine (0.05)
 DDAC (sum) (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)
 desmedipham (0.05)
 diazinon (0.01)

dichlobenil (0.05)
 dichlofluanid (0.01)
 dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicrotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)
 epoxiconazole (0.01)
 EPTC (0.05)
 ethiofencarb (parent) (0.01)

heptenophos (0.01)
 hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 imazalil (0.02)
 imidacloprid (0.01)
 indoxacarb (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)
 isoxaben (0.01)
 isoxaflutole (0.01)

kresoxim-methyl (0.01)
 lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 lufenuron (0.02)
 malathion (0.01)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metalaxyl (0.01)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 methoxyfenozide (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)
 molinate (0.01)
 monocrotophos (0.01)

pyrethrins (0.01)
 pyridaben (0.01)
 pyridaphenthion (0.01)
 pyrimethanil (0.05)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxyfen (0.01)
 quintozene (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spirotetramat (sum) (0.01)
 spiromesifen (0.01)
 sulcotrione (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebufenozide (0.01)
 tebufenpyrad (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)
 terbufos (0.01)

Terbufos (sum not defintion) (0.01)
 terbuthylazine (0.05)
 tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiabendazole (0.05)
 thiacloprid (0.01)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

Table 6a. Analysis of DRIED RAISINS AND SULTANAS sampled from May to July 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
RAISINS, Imported (Non-EC): 4 samples analysed		
acetamiprid (MRL = 2.5)	<0.02 (i.e. not found) 0.03	3 1
azoxystrobin (MRL = 10)	<0.02 (i.e. not found) 0.02, 0.05	2 2
boscalid (MRL = 25)	<0.02 (i.e. not found) 0.1 - 0.7	0 4
carbendazim (MRL = 1.5)	<0.02 (i.e. not found) 0.02	3 1
chlormequat (MRL = 0.25)	<0.02 (i.e. not found) 0.02 - 0.1	1 3
chlorpyrifos (MRL = 2.5)	<0.02 (i.e. not found) 0.04 - 0.1	0 4
cyprodinil (MRL = 25)	<0.1 (i.e. not found) 0.1	1 3
fluopyram (MRL = 7.5)	<0.02 (i.e. not found) 0.03, 0.04	2 2
folpet (MRL = 0.1)	<0.02 (i.e. not found) 0.05	3 1
indoxacarb (MRL = 10)	<0.02 (i.e. not found) 0.03 - 0.04	1 3
iprodione (MRL = 50)	<0.04 (i.e. not found) 0.1 - 0.7	0 4
lambda-cyhalothrin (MRL = 1)	<0.04 (i.e. not found) 0.05, 0.07	2 2
metalaxyl (MRL = 10)	<0.02 (i.e. not found) 0.2	0 4
methoxyfenozide (MRL = 5)	<0.02 (i.e. not found) 0.03 - 0.05	1 3
pyraclostrobin (MRL = 5)	<0.02 (i.e. not found) 0.04	3 1
pyrimethanil (MRL = 25)	<0.1 (i.e. not found) 0.2 - 1.1	0 4
tebuconazole (MRL = 2.5)	<0.02 (i.e. not found) 0.03	3 1

Imported (Non-EC) samples of raisins were from Turkey (4).

Residues were distributed by country of origin, as follows:

acetamiprid	Turkey (1)
azoxystrobin	Turkey (2)
boscalid	Turkey (4)
carbendazim	Turkey (1)
chloromequat	Turkey (3)
chlorpyrifos	Turkey (4)
cyprodinil	Turkey (3)
folpet	Turkey (1)
fluopyram	Turkey (2)
indoxacarb	Turkey (3)
iprodione	Turkey (4)
lambda-cyhalothrin	Turkey (2)
metalaxyl	Turkey (4)
methoxyfenozide	Turkey (3)
pyraclostrobin	Turkey (1)
pyrimethanil	Turkey (4)
tebuconazole	Turkey (1)

Residues were found in all of the 4 Imported (Non-EC) samples

Table 6b. Residues found in DRIED RAISINS AND SULTANAS sampled from May to July 2015

Residues (7-15 compounds) were found in 4 of the 4 samples as follows:

Number of residues	Sample ID	Residues found (mg/kg)																	Country of origin
		ACET	AZOX	BOS	CBZ	CLQ	CPF	CYD	FPET	FPYM	IDX	IPR	LCY	MTX	MXF	PYC	PYM	TBC	
(7)	3797/2015	-	-	0.7	-	-	0.09	-	-	-	-	0.1	0.07	0.2	-	0.04	0.2	-	Turkey
(10)	5002/2015	-	0.02	0.2	-	0.1	0.04	0.1	-	-	0.03	0.1	-	0.2	0.04	-	0.3	-	Turkey
(11)	5001/2015	-	-	0.1	0.02	0.02	0.08	0.1	-	0.04	0.04	0.4	-	0.2	0.03	-	0.4	-	Turkey
(15)	5003/2015	0.03	0.05	0.1	-	0.07	0.1	0.1	0.05	0.03	0.04	0.7	0.05	0.2	0.05	-	1.1	0.03	Turkey

The abbreviations used for the pesticide names are as follows:

ACET	acetamiprid	AZOX	azoxystrobin	BOS	boscalid
CBZ	carbendazim	CLQ	chloromequat	CPF	chlorpyrifos
CYD	cyprodinil	FPET	folpet	FPYM	fluopyram
IDX	indoxacarb	IPR	iprodione	LCY	lambda-cyhalothrin
MTX	metalaxyl	MXF	methoxyfenozide	PYC	pyraclostrobin
PYM	pyrimethanil	TBC	tebuconazole		

Table 6c. Residues sought but not found in DRIED RAISINS AND SULTANAS sampled from May to July 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.02)	ethion (0.02)	myclobutanil (0.02)
2,4-D (sum) (0.02)	ethirimol (0.02)	napropamide (0.1)
2,4-DB (0.02)	ethofumesate (0.02)	nitenpyram (0.02)
2-phenylphenol (0.1)	ethoprophos (0.02)	nitrothal-isopropyl (0.02)
6-benzyladenine (0.02)	etofenprox (0.02)	nuarimol (0.02)
abamectin (sum) (0.02)	etoxazole (0.04)	ofurace (0.02)
acephate (0.02)	etridiazole (0.1)	Oxadiargyl (0.02)
acetochlor (0.02)	etrimfos (0.02)	oxadixyl (0.02)
acibenzolar-s-methyl (0.04)	famoxadone (0.02)	oxamyl (0.02)
aclonifen (0.1)	fenamidone (0.02)	oxasulfuron (0.02)
acrinathrin (0.1)	fenamiphos (sum) (0.02)	oxydemeton-methyl (sum) (0.02)
alachlor (0.02)	fenarimol (0.02)	oxyfluorfen (0.1)
aldicarb (sum) (0.02)	fenazaquin (0.02)	paclobutrazol (0.02)
aldrin and dieldrin (0.02)	fenbuconazole (0.02)	parathion (0.02)
alpha-HCH (0.02)	fenbutatin oxide (0.1)	parathion-methyl (sum) (0.02)
ametoctradin (0.02)	fenhexamid (0.1)	penconazole (0.02)
amidosulfuron (0.02)	fenitrothion (0.02)	pencycuron (0.02)
amitraz (0.02)	fenoxycarb (0.02)	pendimethalin (0.02)
anthraquinone (0.02)	fenpropathrin (0.02)	pentanochlor (0.02)
asulam (0.1)	fenpropidin (0.1)	permethrin (0.02)
atrazine (0.02)	fenpropimorph (0.02)	phenmedipham (0.1)
azinphos-methyl (0.04)	fenpyroximate (0.02)	phenthoate (0.02)
BAC (sum) (0.1)	fensulfothion (sum) (0.02)	phorate (partial sum) (0.04)
benalaxyl (0.02)	fenthion (partial sum) (0.02)	phosalone (0.02)
bendiocarb (0.02)	fenvalerate & esfenvalerate (all isomers) (0.02)	phosmet (sum) (0.02)
benfuracarb (0.02)	fipronil (sum) (0.02)	phosphamidon (0.02)
benthiavalicarb (sum) (0.02)	fonicamid (sum) (0.02)	phoxim (0.02)
beta-HCH (0.02)	fluazifop-p-butyl (sum) (0.02)	picolinafen (0.02)
bifenthrin (0.02)	fluazinam (0.02)	picoxystrobin (0.02)
biphenyl (0.02)	flubendiamide (0.02)	piperonyl butoxide (0.02)
bispyribac-sodium (0.02)	flucythrinate (0.1)	pirimicarb (sum) (0.02)
bitertanol (0.02)	fludioxonil (0.02)	pirimiphos-ethyl (0.02)
bromophos-ethyl (0.02)	flufenacet (0.02)	pirimiphos-methyl (0.02)
bromopropylate (0.02)	flufenoxuron (0.04)	prochloraz (parent only) (0.02)
bromoxynil (0.02)	fluometuron (0.02)	Prochloraz (sum) (0.02)
bromuconazole (0.02)	fluopicolide (0.02)	procymidone (0.02)
bupirimate (0.02)	fluoxastrobin (0.02)	profenofos (0.02)
buprofezin (0.02)	fluquinconazole (0.02)	promecarb (0.02)
butachlor (0.02)	flurochloridone (0.1)	prometryn (0.02)
butocarboxim (parent) (0.02)	fluroxypyr (sum) (0.1)	propachlor (0.02)
butoxycarboxim (0.02)	flusilazole (0.02)	propamocarb (0.02)
cadusafos (0.02)	flutolanil (0.02)	propaquizafop (0.1)
captan (0.04)	flutriafol (0.02)	propargite (0.02)
carbaryl (0.02)	fluxapyroxad (0.02)	propetamphos (0.02)
carbofuran (sum) (0.02)	fonofos (0.02)	propiconazole (0.02)
carbosulfan (0.02)	formetanate (0.1)	propoxur (0.02)
carboxin (0.1)	formothion (0.02)	propyzamide (0.02)
chlorantraniliprole (0.02)	fosthiazate (0.02)	proquinazid (0.02)
chlorbufam (0.1)	furalaxyl (0.02)	prosulfocarb (0.1)
chlordan (sum) (0.02)	furathiocarb (0.02)	prosulfuron (0.04)
chlorfenapyr (0.04)	furmecyclox (0.02)	prothioconazole (0.02)
chlorfenvinphos (0.02)	halofenozide (0.02)	prothiofos (0.02)
chloridazon (0.02)	halosulfuron-methyl (0.02)	pymetrozine (0.02)
chlorothalonil (0.02)	haloxyfop (sum) (0.02)	pyrazophos (0.02)
chlorpropham (sum) (0.1)	Heptachlor (sum) (0.02)	pyrethrins (0.02)
chlorpyrifos-methyl (0.02)	heptenophos (0.02)	pyridaben (0.02)

chlorthal-dimethyl (0.02)
 chlortoluron (0.02)
 chlozolinate (0.02)
 chromafenozide (0.02)
 clethodim (0.1)
 clofentezine (0.02)
 clomazone (0.02)
 clothianidin (0.02)
 coumaphos (0.02)
 cyazofamid (0.02)
 cycloate (0.02)
 cycloxydim (0.1)
 cyflufenamid (0.02)
 cyfluthrin (0.04)
 Cyhalofop-butyl (sum) (0.02)
 cymoxanil (0.02)
 cypermethrin (0.1)

 cyproconazole (0.02)
 cyromazine (0.1)
 DDAC (sum) (0.1)
 DDT (sum) (0.02)
 deltamethrin (0.1)
 demeton-S-methyl (0.02)
 desmedipham (0.1)
 diazinon (0.02)
 dichlobenil (0.1)

 dichlofluanid (0.02)
 dichlofluanid and DMSA (0.02)
 dichlorprop (0.02)
 dichlorvos (0.02)
 diclobutrazol (0.02)
 dicloran (0.02)
 dicofol (sum) (0.02)
 dicrotophos (0.02)
 diethofencarb (0.02)
 difenoconazole (0.02)
 diflubenzuron (0.02)
 diflufenican (0.02)
 dimethenamid (0.02)
 dimethoate (sum) (0.02)
 dimethomorph (0.02)
 dimoxystrobin (0.02)
 diniconazole (0.02)
 dinotefuran (0.02)
 diphenylamine (0.1)
 disulfoton (sum) (0.04)
 diuron (0.02)
 dodine (0.1)
 emamectin benzoate (0.02)
 endosulfan (sum) (0.02)
 EPN (0.02)
 epoxiconazole (0.02)
 EPTC (0.1)
 ethiofencarb (parent) (0.02)

 hexachlorobenzene (0.02)
 hexaconazole (0.02)
 hexythiazox (0.02)
 imazalil (0.04)
 imidacloprid (0.02)
 inorganic bromide (20)
 ioxynil (0.1)
 iprovalicarb (0.02)
 isazophos (0.02)
 isocarbophos (0.02)
 isofenphos (0.02)
 isofenphos-methyl (0.02)
 isoprocab (0.02)
 isoprothiolane (0.02)
 isoproturon (0.02)
 isopyrazam (0.02)
 isoxaben (0.02)

 isoxaflutole (0.02)
 kresoxim-methyl (0.02)
 lenacil (0.02)
 lindane (0.02)
 linuron (0.02)
 lufenuron (0.04)
 malathion (0.02)
 mandipropamid (0.02)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.02)
 MCPB (0.02)
 mecarbam (0.02)
 mepanipyrim (sum) (0.02)
 mepiquat (0.02)
 mepronil (0.02)
 mesosulfuron-methyl (0.02)
 metaflumizone (0.1)
 metamitron (0.02)
 metconazole (0.02)
 methabenzthiazuron (0.02)
 methacrifos (0.02)
 methamidophos (0.02)
 methidathion (0.02)
 methiocarb (sum) (0.02)
 methomyl (sum) (0.02)
 methoxychlor (0.02)
 metobromuron (0.02)
 metolachlor (0.02)
 metolcarb (0.02)
 metosulam (0.02)
 metoxuron (0.02)
 metrafenone (0.02)
 metribuzin (0.1)
 metsulfuron-methyl (0.1)
 mevinphos (0.02)
 monocrotophos (0.02)
 monolinuron (0.02)
 Monuron (0.02)

 pyridaphenthion (0.02)
 pyriproxifen (0.02)
 quassia (0.02)
 quinalphos (0.02)
 quinmerac (0.1)
 Quinoclamine (0.02)
 quinoxyfen (0.02)
 quintozene (sum) (0.02)
 rimsulfuron (0.02)
 rotenone (0.02)
 spinosad (0.02)
 spirodiclofen (0.02)
 spiromesifen (0.02)
 spirotetramat (sum) (0.02)
 spiroxamine (0.02)
 sulcotrione (0.1)
 sum of butocarboxim and
 butocarboxim sul (0.02)
 tau-fluvalinate (0.02)
 tebufenozide (0.02)
 tebufenpyrad (0.02)
 tebuthiuron (0.02)
 tecnazene (0.02)
 teflubenzuron (0.02)
 tefluthrin (0.02)
 terbufos (0.02)
 Terbufos (sum not defintion) (0.02)

 terbuthylazine (0.1)
 tetrachlorvinphos (0.02)
 tetraconazole (0.02)
 tetradifon (0.02)
 tetramethrin (0.02)
 thiabendazole (0.1)
 thiacloprid (0.02)
 thiamethoxam (sum) (0.02)
 thiophanate-methyl (0.02)
 tolclofos-methyl (0.02)
 tolfenpyrad (0.02)
 tolylfluanid (sum) (0.02)
 triadimefon & triadimenol (0.02)
 triallate (0.1)
 triasulfuron (0.1)
 triazamate (0.02)
 triazophos (0.02)
 triclopyr (0.1)
 tricyclazole (0.02)
 trifloxystrobin (0.02)
 triflumizole (0.02)
 triflumuron (0.02)
 trifluralin (0.02)
 triforine (0.1)
 triticonazole (0.02)
 vinclozolin (sum) (0.02)
 zoxamide (0.02)

Table 7a. Analysis of SOFT CITRUS sampled from April to July 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
CLEMENTINE Imported (Non-EC): 4 samples analysed		
2,4-D (sum) (MRL = 1)	<0.01 (i.e. not found) 0.09 - 0.3	0 4
chlorantraniliprole (MRL = 0.7)	<0.01 (i.e. not found) 0.03, 0.04	2 2
imazalil (MRL = 5)	<0.02 (i.e. not found) 0.5 - 2.1	0 4
imidacloprid (MRL = 1)	<0.01 (i.e. not found) 0.02	3 1
pyrimethanil (MRL = 8)	<0.05 (i.e. not found) 0.9 - 1.5	0 4
spirotetramat (sum) (MRL = 1)	<0.01 (i.e. not found) 0.01	3 1
thiabendazole (MRL = 5)	<0.05 (i.e. not found) 1.2	3 1
SATSUMA Imported (Non-EC): 6 samples analysed		
2,4-D (sum) (MRL = 1)	<0.01 (i.e. not found) 0.07 - 0.4	0 6
azoxystrobin (MRL = 15)	<0.01 (i.e. not found) 0.03	5 1
fludioxonil (MRL = 10)	<0.01 (i.e. not found) 0.01	3 3
imazalil (MRL = 5)	<0.02 (i.e. not found) 0.7 - 2.2	0 6
imidacloprid (MRL = 1)	<0.01 (i.e. not found) 0.02	2 4
metalaxyl (MRL = 0.5)	<0.01 (i.e. not found) 0.02	5 1
pyrimethanil (MRL = 8)	<0.05 (i.e. not found) 0.2, 0.6	4 2
thiabendazole (MRL = 5)	<0.05 (i.e. not found) 0.6, 1.2	4 2
CLEMENTINE Imported (EC): 1 samples analysed		
2,4-D (sum) (MRL = 1)	<0.01 (i.e. not found) 0.03	0 1
imazalil (MRL = 5)	<0.02 (i.e. not found) 0.7	0 1

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
MANDARIN Imported (EC): 1 samples analysed		
2,4-D (sum) (MRL = 1)	<0.01 (i.e. not found) 0.05	0 1
chlorpyrifos (MRL = 2)	<0.01 (i.e. not found) 0.02	0 1
DDAC (sum) (MRL = 0.1)	<0.05 (i.e. not found) 0.2	0 1
imazalil (MRL = 5)	<0.02 (i.e. not found) 0.6	0 1
pyrimethanil (MRL = 8)	<0.05 (i.e. not found) 0.3	0 1
tebufenpyrad (MRL = 0.5)	<0.01 (i.e. not found) 0.01	0 1

Imported (EC) samples of soft citrus were from Spain (2).

Imported (Non-EC) samples of soft citrus were from South Africa (10).

Residues were distributed by country of origin, as follows:

2,4-D (sum)	South Africa (10), Spain (2)
azoxystrobin	South Africa (1)
chlorpyrifos	Spain (1)
chlorantraniliprole	South Africa (2)
DDAC (sum)	Spain (1)
fludioxonil	South Africa (3)
imidacloprid	South Africa (5)
imazalil	South Africa (10), Spain (2)
metalaxyl	South Africa (1)
pyrimethanil	South Africa (6), Spain (1)
spirotetramat (sum)	South Africa (1)
thiabendazole	South Africa (3)
tebufenpyrad	Spain (1)

Residues were found in all of the 4 Imported (Non-EC) clementine samples

Residues were found in all of the 6 Imported (Non-EC) satsuma samples

Residues were found in all of the 1 Imported (EC) clementine samples

Residues were found in all of the 1 Imported (EC) mandarin samples

Table 7b. Residues found in SOFT CITRUS sampled from April to July 2015

Residues (2-6 compounds) were found in 12 of the 12 samples as follows:

Number of residues	Sample ID	Type of SOFT CITRUS	Residues found (mg/kg)													Country of origin	
			24DS	AZOX	CPF	CTP	DDAC	FLUD	IMI	IMZ	MTX	PYM	STTPS	TBZ	TEBF		
(2)	3800/2015	SATSUMA	0.2	-	-	-	-	-	-	-	0.7	-	-	-	-	-	South Africa
	3549/2015	CLEMENTINE	0.03	-	-	-	-	-	-	-	0.7	-	-	-	-	-	Spain
(3)	3542/2015	CLEMENTINE	0.09	-	-	-	-	-	-	-	1.4	-	1.5	-	-	-	South Africa
(4)	3828/2015	SATSUMA	0.07	-	-	-	-	-	0.01	0.02	1.3	-	-	-	-	-	South Africa
	3829/2015	SATSUMA	0.08	-	-	-	-	-	0.01	0.02	0.9	-	-	-	-	-	South Africa
	3830/2015	SATSUMA	0.1	-	-	-	-	-	0.01	0.02	1.1	-	-	-	-	-	South Africa
	3833/2015	CLEMENTINE	0.1	-	-	0.03	-	-	-	-	1.5	-	1	-	-	-	South Africa
(5)	3550/2015	SATSUMA	0.1	-	-	-	-	-	-	-	1.2	0.02	0.2	-	1.2	-	South Africa
	3798/2015	CLEMENTINE	0.3	-	-	-	-	-	-	0.02	0.5	-	0.9	-	1.2	-	South Africa
	3834/2015	CLEMENTINE	0.1	-	-	0.04	-	-	-	-	2.1	-	1.1	0.01	-	-	South Africa
(6)	3551/2015	SATSUMA	0.4	0.03	-	-	-	-	-	0.02	2.2	-	0.6	-	0.6	-	South Africa
	3570/2015	MANDARIN	0.05	-	0.02	-	0.2	-	-	-	0.6	-	0.3	-	-	0.01	Spain

The abbreviations used for the pesticide names are as follows:

24DS	2,4-D (sum)	AZOX	azoxystrobin	CPF	chlorpyrifos
CTP	chlorantraniliprole	DDAC	DDAC (sum)	FLUD	fludioxonil
IMI	imidacloprid	IMZ	imazalil	MTX	metalaxyl
PYM	pyrimethanil	STTPS	spirotetramat (sum)	TBZ	thiabendazole
TEBF	tebufenpyrad				

Table 7c. Residues sought but not found in SOFT CITRUS sampled from April to July 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	EPTC (0.05)	monocrotophos (0.01)
2,4-DB (0.01)	ethiofencarb (parent) (0.01)	monolinuron (0.01)
2-phenylphenol (0.05)	ethion (0.01)	Monuron (0.01)
6-benzyladenine (0.01)	ethirimol (0.01)	myclobutanil (0.01)
abamectin (sum) (0.01)	ethofumesate (0.01)	napropamide (0.05)
acephate (0.01)	ethoprophos (0.01)	nitenpyram (0.01)
acetamiprid (0.01)	etofenprox (0.01)	nitrothal-isopropyl (0.01)
acetochlor (0.01)	etoxazole (0.02)	nuarimol (0.01)
acibenzolar-s-methyl (0.02)	etridiazole (0.05)	ofurace (0.01)
aclonifen (0.05)	etrimfop (0.01)	Oxadiazyl (0.01)
acrinathrin (0.05)	famoxadone (0.01)	oxadixyl (0.01)
alachlor (0.01)	fenamidone (0.01)	oxamyl (0.01)
aldicarb (sum) (0.01)	fenamiphos (sum) (0.01)	oxasulfuron (0.01)
aldrin and dieldrin (0.01)	fenarimol (0.01)	oxydemeton-methyl (sum) (0.01)
alpha-HCH (0.01)	fenazaquin (0.01)	oxyfluorfen (0.05)
ametoctradin (0.01)	fenbuconazole (0.01)	paclobutrazol (0.01)
amidosulfuron (0.01)	fenbutatin oxide (0.05)	parathion (0.01)
amitraz (0.01)	fenhexamid (0.05)	parathion-methyl (sum) (0.01)
anthraquinone (0.01)	fenitrothion (0.01)	penconazole (0.01)
asulam (0.05)	fenoxycarb (0.01)	pencycuron (0.01)
atrazine (0.01)	fenpropathrin (0.01)	pendimethalin (0.01)
azinphos-methyl (0.02)	fenpropidin (0.05)	pentanochlor (0.01)
BAC (sum) (0.05)	fenpropimorph (0.01)	permethrin (0.01)
benalaxyl (0.01)	fenpyroximate (0.01)	phenmedipham (0.05)
bendiocarb (0.01)	fensulfothion (sum) (0.01)	phenthoate (0.01)
benfuracarb (0.01)	fenthion (partial sum) (0.01)	phorate (partial sum) (0.02)
benthiavalicarb (sum) (0.01)	fenvalerate & esfenvalerate (all isomers) (0.01)	phosalone (0.01)
beta-HCH (0.01)	fipronil (sum) (0.01)	phosmet (sum) (0.01)
bifenthrin (0.01)	flonicamid (sum) (0.01)	phosphamidon (0.01)
biphenyl (0.01)	fluazifop-p-butyl (sum) (0.01)	phoxim (0.01)
bispyribac-sodium (0.01)	fluazinam (0.01)	picolinafen (0.01)
bitertanol (0.01)	flubendiamide (0.01)	picoxystrobin (0.01)
boscalid (0.01)	flucythrinate (0.05)	piperonyl butoxide (0.01)
bromophos-ethyl (0.01)	flufenacet (0.01)	pirimicarb (sum) (0.01)
bromopropylate (0.01)	flufenoxuron (0.02)	pirimiphos-ethyl (0.01)
bromoxynil (0.01)	fluometuron (0.01)	pirimiphos-methyl (0.01)
bromuconazole (0.01)	fluopicolide (0.01)	prochloraz (parent only) (0.01)
bupirimate (0.01)	fluopyram (0.01)	Prochloraz (sum) (0.01)
buprofezin (0.01)	fluoxastrobin (0.01)	procymidone (0.01)
butachlor (0.01)	fluquinconazole (0.01)	profenofos (0.01)
butocarboxim (parent) (0.01)	flurochloridone (0.05)	promecarb (0.01)
butoxycarboxim (0.01)	fluroxypyr (sum) (0.05)	prometryn (0.01)
cadusafos (0.01)	flusilazole (0.01)	propachlor (0.01)
captan (0.02)	flutolanil (0.01)	propamocarb (0.01)
carbaryl (0.01)	flutriafol (0.01)	propaquizafop (0.05)
carbendazim (0.01)	fluxapyroxad (0.01)	propargite (0.01)
carbofuran (sum) (0.01)	folpet (0.01)	propetamphos (0.01)
carbosulfan (0.01)	fonofos (0.01)	propiconazole (0.01)
carboxin (0.05)	formetanate (0.05)	propoxur (0.01)
chlorbufam (0.05)	fosthiazate (0.01)	propyzamide (0.01)
chlordane (sum) (0.01)	furalaxyl (0.01)	proquinazid (0.01)
chlorfenapyr (0.02)	furathiocarb (0.01)	prosulfocarb (0.05)
chlorfenvinphos (0.01)	furmecyclox (0.01)	prosulfuron (0.02)
chloridazon (0.01)	halofenozide (0.01)	prothioconazole (0.01)
chlorothalonil (0.01)	halosulfuron-methyl (0.01)	prothiofos (0.01)
chlorpropham (sum) (0.05)	haloxyfop (sum) (0.01)	pymetrozine (0.01)
chlorpyrifos-methyl (0.01)	Heptachlor (sum) (0.01)	pyraclostrobin (0.01)

chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolate (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)
 cypermethrin (0.05)
 cyproconazole (0.01)

cyprodinil (0.05)
 cyromazine (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)
 desmedipham (0.05)
 diafenthiuron (0.05)
 diazinon (0.01)
 dichlobenil (0.05)

dichlofluanid (0.01)
 dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicrotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)
 epoxiconazole (0.01)

heptenophos (0.01)
 hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 indoxacarb (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)
 isoxaben (0.01)
 isoxaflutole (0.01)

kresoxim-methyl (0.01)
 lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 linuron (0.01)
 lufenuron (0.02)
 malathion (0.02)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 methoxyfenozide (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)
 molinate (0.01)

pyrazophos (0.01)
 pyrethrins (0.01)
 pyridaben (0.01)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxyfen (0.01)
 quintozene (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spiroxamine (0.01)
 sulcotriene (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebuconazole (0.01)
 tebufenozide (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)
 terbufos (0.01)
 Terbufos (sum not defintion) (0.01)

terbuthylazine (0.05)
 tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiacloprid (0.01)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

Table 8a. Analysis of STRAWBERRIES sampled during June 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
STRAWBERRIES, UK: 2 samples analysed		
boscalid (MRL = 10)	<0.01 (i.e. not found) 0.05	1 1
bupirimate (MRL = 1)	<0.01 (i.e. not found) 0.02	1 1
fenhexamid (MRL = 5)	<0.05 (i.e. not found) 0.09, 0.2	0 2
fludioxonil (MRL = 4)	<0.01 (i.e. not found) 0.03	1 1
myclobutanil (MRL = 1)	<0.01 (i.e. not found) 0.01, 0.02	0 2
pyraclostrobin (MRL = 1.5)	<0.01 (i.e. not found) 0.01	1 1
pyrimethanil (MRL = 5)	<0.05 (i.e. not found) 0.1	1 1
thiacloprid (MRL = 1)	<0.01 (i.e. not found) 0.04	1 1

UK samples of strawberries were (2).

Residues were distributed by country of origin, as follows:

boscalid	UK (1)
bupirimate	UK (1)
fludioxonil	UK (1)
fenhexamid	UK (2)
myclobutanil	UK (2)
pyraclostrobin	UK (1)
pyrimethanil	UK (1)
thiacloprid	UK (1)

Residues were found in all of the 2 UK samples

Table 8b. Residues found in STRAWBERRIES sampled during June 2015

Residues (4-6 compounds) were found in 2 of the 2 samples as follows:

Number of residues	Sample ID	Residues found (mg/kg)								Country of origin
		BOS	BUP	FLUD	FNHX	MYC	PYC	PYM	THC	
(4)	3794/2015	-	-	-	0.2	0.02	-	0.1	0.04	UK
(6)	3793/2015	0.05	0.02	0.03	0.09	0.01	0.01	-	-	UK

The abbreviations used for the pesticide names are as follows:

BOS	boscalid	BUP	bupirimate	FLUD	fludioxonil
FNHX	fenhexamid	MYC	myclobutanil	PYC	pyraclostrobin
PYM	pyrimethanil	THC	thiacloprid		

Table 8c. Residues sought but not found in STRAWBERRIES sampled during June 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	EPTC (0.05)	molinate (0.01)
2,4-D (sum) (0.01)	ethiofencarb (parent) (0.01)	monocrotophos (0.01)
2,4-DB (0.01)	ethion (0.01)	monolinuron (0.01)
2-phenylphenol (0.05)	ethirimol (0.01)	Monuron (0.01)
6-benzyladenine (0.01)	ethofumesate (0.01)	napropamide (0.05)
abamectin (sum) (0.01)	ethoprophos (0.01)	nitenpyram (0.01)
acephate (0.01)	etofenprox (0.01)	nitrothal-isopropyl (0.01)
acetamiprid (0.01)	etoxazole (0.02)	nuarimol (0.01)
acetochlor (0.01)	etridiazole (0.05)	ofurace (0.01)
acibenzolar-s-methyl (0.02)	etrimfos (0.01)	Oxadiazyl (0.01)
aclonifen (0.05)	famoxadone (0.01)	oxadixyl (0.01)
acrinathrin (0.05)	fenamidone (0.01)	oxamyl (0.01)
alachlor (0.01)	fenamiphos (sum) (0.01)	oxasulfuron (0.01)
aldicarb (sum) (0.01)	fenarimol (0.01)	oxydemeton-methyl (sum) (0.01)
aldrin and dieldrin (0.01)	fenazaquin (0.01)	oxyfluorfen (0.05)
alpha-HCH (0.01)	fenbuconazole (0.01)	paclobutrazol (0.01)
ametoctradin (0.01)	fenbutatin oxide (0.05)	parathion (0.01)
amidosulfuron (0.01)	fenitrothion (0.01)	parathion-methyl (sum) (0.01)
amitraz (0.01)	fenoxycarb (0.01)	penconazole (0.01)
anthraquinone (0.01)	fenpropathrin (0.01)	pencycuron (0.01)
asulam (0.05)	fenpropidin (0.05)	pendimethalin (0.01)
atrazine (0.01)	fenpropimorph (0.01)	pentanochlor (0.01)
azinphos-methyl (0.02)	fenpyroximate (0.01)	permethrin (0.01)
azoxystrobin (0.01)	fensulfothion (sum) (0.01)	phenmedipham (0.05)
BAC (sum) (0.05)	fenthion (partial sum) (0.01)	phenthoate (0.01)
benalaxyl (0.01)	fenvalerate & esfenvalerate (all isomers) (0.01)	phorate (partial sum) (0.02)
bendiocarb (0.01)	fipronil (sum) (0.01)	phosalone (0.01)
benfuracarb (0.01)	fonicamid (sum) (0.01)	phosmet (sum) (0.01)
benthiavalicarb (sum) (0.01)	fluazifop-p-butyl (sum) (0.01)	phosphamidon (0.01)
beta-HCH (0.01)	fluazinam (0.01)	phoxim (0.01)
bifenthrin (0.01)	flubendiamide (0.01)	picolinafen (0.01)
biphenyl (0.01)	flucythrinate (0.05)	picoxystrobin (0.01)
bispyribac-sodium (0.01)	flufenacet (0.01)	piperonyl butoxide (0.01)
bitertanol (0.01)	flufenoxuron (0.02)	pirimicarb (sum) (0.01)
bromophos-ethyl (0.01)	fluometuron (0.01)	pirimiphos-ethyl (0.01)
bromopropylate (0.01)	fluopicolide (0.01)	pirimiphos-methyl (0.01)
bromoxynil (0.01)	fluopyram (0.01)	prochloraz (parent only) (0.01)
bromuconazole (0.01)	fluoxastrobin (0.01)	procymidone (0.01)
buprofezin (0.01)	fluquinconazole (0.01)	profenofos (0.01)
butachlor (0.01)	flurochloridone (0.05)	promecarb (0.01)
butocarboxim (parent) (0.01)	fluroxypyr (sum) (0.05)	prometryn (0.01)
butoxycarboxim (0.01)	flusilazole (0.01)	propachlor (0.01)
cadusafos (0.01)	flutolanil (0.01)	propamocarb (0.01)
captan (0.02)	flutriafol (0.01)	propaquizafop (0.05)
carbaryl (0.01)	fluxapyroxad (0.01)	propargite (0.01)
carbendazim (0.01)	folpet (0.01)	propetamphos (0.01)
carbofuran (sum) (0.01)	fonofos (0.01)	propiconazole (0.01)
carbosulfan (0.01)	formetanate (0.05)	propoxur (0.01)
carboxin (0.05)	formothion (0.01)	propyzamide (0.01)
chlorantraniliprole (0.01)	fosthiazate (0.01)	proquinazid (0.01)
chlorbufam (0.05)	furalaxyl (0.01)	prosulfocarb (0.05)
chlordan (sum) (0.01)	furathiocarb (0.01)	prosulfuron (0.02)
chlorfenapyr (0.02)	furmecyclox (0.01)	prothioconazole (0.01)
chlorfenvinphos (0.01)	halofenozide (0.01)	prothiofos (0.01)
chloridazon (0.01)	halosulfuron-methyl (0.01)	pymetrozine (0.01)
chlorothalonil (0.01)	haloxyfop (sum) (0.01)	pyrazophos (0.01)
chlorpropham (sum) (0.05)	Heptachlor (sum) (0.01)	pyrethrins (0.01)

chlorpyrifos (0.01)
 chlorpyrifos-methyl (0.01)
 chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolinate (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)

cypermethrin (0.05)
 cyproconazole (0.01)
 cyprodinil (0.05)
 DDAC (sum) (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)
 desmedipham (0.05)
 diazinon (0.01)
 dichlobenil (0.05)
 dichlofluanid (0.01)

dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicrotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 dithiocarbamates (0.05)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)
 epoxiconazole (0.01)

heptenophos (0.01)
 hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 imazalil (0.02)
 imidacloprid (0.01)
 indoxacarb (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)

isoxaben (0.01)
 isoxaflutole (0.01)
 kresoxim-methyl (0.01)
 lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 linuron (0.01)
 lufenuron (0.02)
 malathion (0.01)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metalaxyl (0.01)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 methoxyfenozide (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)

pyridaben (0.01)
 pyridaphenthion (0.01)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxifen (0.01)
 quintozene (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spirotetramat (sum) (0.01)
 spiroxamine (0.01)
 sulcotrione (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebuconazole (0.01)
 tebufenozide (0.01)
 tebufenpyrad (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)
 terbufos (0.01)
 Terbufos (sum not defintion) (0.01)
 terbuthylazine (0.05)

tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiabendazole (0.05)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

Table 9a. Analysis of SUGARSNAP PEAS sampled from June to July 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
SUGARSNAP PEAS, UK: 6 samples analysed		
None found	-	6

UK samples of sugarsnap peas were (6).

No residues were found in any of the UK samples

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	epoxiconazole (0.01)	monocrotophos (0.01)
2,4-D (sum) (0.01)	EPTC (0.05)	monolinuron (0.01)
2,4-DB (0.01)	ethiofencarb (parent) (0.01)	Monuron (0.01)
2-phenylphenol (0.05)	ethion (0.01)	myclobutanil (0.01)
6-benzyladenine (0.01)	ethirimol (0.01)	napropamide (0.05)
abamectin (sum) (0.01)	ethofumesate (0.01)	nitenpyram (0.01)
acephate (0.01)	ethoprophos (0.01)	nitrothal-isopropyl (0.01)
acetamiprid (0.01)	etofenprox (0.01)	nuarimol (0.01)
acetochlor (0.01)	etoxazole (0.02)	ofurace (0.01)
acibenzolar-s-methyl (0.02)	etridiazole (0.05)	Oxadiargyl (0.01)
aclonifen (0.05)	etrimfos (0.01)	oxadixyl (0.01)
acrinathrin (0.05)	famoxadone (0.01)	oxamyl (0.01)
alachlor (0.01)	fenamidone (0.01)	oxasulfuron (0.01)
aldicarb (sum) (0.01)	fenamiphos (sum) (0.01)	oxydemeton-methyl (sum) (0.01)
aldrin and dieldrin (0.01)	fenarimol (0.01)	oxyfluorfen (0.05)
alpha-HCH (0.01)	fenazaquin (0.01)	paclobutrazol (0.01)
ametoctradin (0.01)	fenbuconazole (0.01)	parathion (0.01)
amidosulfuron (0.01)	fenbutatin oxide (0.05)	parathion-methyl (sum) (0.01)
amitraz (0.01)	fenhexamid (0.05)	penconazole (0.01)
anthraquinone (0.01)	fenitrothion (0.01)	pencycuron (0.01)
asulam (0.05)	fenoxycarb (0.01)	pendimethalin (0.01)
atrazine (0.01)	fenpropathrin (0.01)	pentanochlor (0.01)
azinphos-methyl (0.02)	fenpropidin (0.05)	permethrin (0.01)
azoxystrobin (0.01)	fenpropimorph (0.01)	phenmedipham (0.05)
BAC (sum) (0.05)	fenpyroximate (0.01)	phenthoate (0.01)
benalaxyl (0.01)	fensulfothion (sum) (0.01)	phorate (partial sum) (0.02)
bendiocarb (0.01)	fenthion (partial sum) (0.01)	phosalone (0.01)
benfuracarb (0.01)	fenvalerate & esfenvalerate (all isomers) (0.01)	phosmet (sum) (0.01)
benthiavalicarb (sum) (0.01)	fipronil (sum) (0.01)	phosphamidon (0.01)
beta-HCH (0.01)	flonicamid (sum) (0.01)	phoxim (0.01)
bifenthrin (0.01)	fluazifop-p-butyl (sum) (0.01)	picolinafen (0.01)
biphenyl (0.01)	fluazinam (0.01)	picoxystrobin (0.01)
bispyribac-sodium (0.01)	flubendiamide (0.01)	piperonyl butoxide (0.01)
bitertanol (0.01)	flucythrinate (0.05)	pirimicarb (sum) (0.01)
boscalid (0.01)	fludioxonil (0.01)	pirimiphos-ethyl (0.01)
bromophos-ethyl (0.01)	flufenacet (0.01)	pirimiphos-methyl (0.01)
bromopropylate (0.01)	flufenoxuron (0.02)	prochloraz (parent only) (0.01)
bromoxynil (0.01)	fluometuron (0.01)	procymidone (0.01)
bromuconazole (0.01)	fluopicolide (0.01)	profenofos (0.01)
bupirimate (0.01)	fluopyram (0.01)	promecarb (0.01)
buprofezin (0.01)	fluoxastrobin (0.01)	prometryn (0.01)
butachlor (0.01)	fluquinconazole (0.01)	propachlor (0.01)
butocarboxim (parent) (0.01)	flurochloridone (0.05)	propamocarb (0.01)
butoxycarboxim (0.01)	fluroxypyr (sum) (0.05)	propaquizafop (0.05)
cadusafos (0.01)	flusilazole (0.01)	propargite (0.01)
captan (0.02)	flutolanil (0.01)	propetamphos (0.01)
carbaryl (0.01)	flutriafol (0.01)	propiconazole (0.01)
carbendazim (0.01)	fluxapyroxad (0.01)	propoxur (0.01)
carbofuran (sum) (0.01)	folpet (0.01)	propyzamide (0.01)
carbosulfan (0.01)	fonofos (0.01)	proquinazid (0.01)
carboxin (0.05)	formetanate (0.05)	prosulfocarb (0.05)
chlorantraniliprole (0.01)	fosthiazate (0.01)	prosulfuron (0.02)

chlorbufam (0.05)
 chlordane (sum) (0.01)
 chlorfenapyr (0.02)
 chlorfenvinphos (0.01)
 chloridazon (0.01)
 chlorothalonil (0.01)
 chlorpropham (sum) (0.05)
 chlorpyrifos (0.01)
 chlorpyrifos-methyl (0.01)
 chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolinate (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)

cypermethrin (0.05)
 cyproconazole (0.01)
 cyprodinil (0.05)
 cyromazine (0.05)
 DDAC (sum) (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)
 desmedipham (0.05)
 diazinon (0.01)

dichlobenil (0.05)
 dichlofluanid (0.01)
 dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicrotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 dithiocarbamates (0.05)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)

furalaxyl (0.01)
 furathiocarb (0.01)
 halofenozide (0.01)
 halosulfuron-methyl (0.01)
 haloxyfop (sum) (0.01)
 Heptachlor (sum) (0.01)
 heptenophos (0.01)
 hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 imazalil (0.02)
 imidacloprid (0.01)
 indoxacarb (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)
 isoxaben (0.01)

isoxaflutole (0.01)
 kresoxim-methyl (0.01)
 lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 linuron (0.01)
 lufenuron (0.02)
 malathion (0.01)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metalaxyl (0.01)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 methoxyfenozide (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)
 molinate (0.01)

prothioconazole (0.01)
 prothiofos (0.01)
 pymetrozine (0.01)
 pyraclostrobin (0.01)
 pyrazophos (0.01)
 pyrethrins (0.01)
 pyridaben (0.01)
 pyridaphenthion (0.01)
 pyrimethanil (0.05)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxifen (0.01)
 quintozone (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spirotetramat (sum) (0.01)
 spiroxamine (0.01)
 sulcotrione (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebuconazole (0.01)
 tebufenozide (0.01)
 tebufenpyrad (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)
 terbufos (0.01)
 Terbufos (sum not defintion) (0.01)

terbuthylazine (0.05)
 tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiabendazole (0.05)
 thiacloprid (0.01)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

Table 10a. Analysis of TOMATO sampled from April to July 2015

Commodity/Pesticide	Concentration range (mg/kg)	Number of samples in range
TOMATO, CHERRY Imported (EC): 11 samples analysed		
chlorantraniliprole (MRL = 0.6)	<0.01 (i.e. not found)	7
	0.01 - 0.03	4
fenhexamid (MRL = 1)	<0.05 (i.e. not found)	9
	0.1	2
flubendiamide (MRL = 0.2)	<0.01 (i.e. not found)	10
	0.02	1
fluopyram (MRL = 0.9)	<0.01 (i.e. not found)	9
	0.05, 0.06	2

Imported (EC) samples of tomato were from the Netherlands (11).

Residues were distributed by country of origin, as follows:

chlorantraniliprole	the Netherlands (4)
flubendiamide	the Netherlands (1)
fenhexamid	the Netherlands (2)
fluopyram	the Netherlands (2)

No residues were found in 2 of the 11 Imported (EC) cherry samples

Table 10b. Residues found in TOMATO sampled from April to July 2015

Residues (1-1 compounds) were found in 9 of the 11 samples as follows:

Number of residues	Sample ID	Type of TOMATO	Residues found (mg/kg)				Country of origin
			CTP	FLB	FNHX	FPYM	
(1)	3552/2015	CHERRY	0.01	-	-	-	the Netherlands
	3586/2015	CHERRY	-	-	-	0.05	the Netherlands
	5013/2015	CHERRY	-	-	0.1	-	the Netherlands
	5014/2015	CHERRY	0.01	-	-	-	the Netherlands
	5035/2015	CHERRY	-	-	-	0.06	the Netherlands
	5036/2015	CHERRY	-	0.02	-	-	the Netherlands
	5037/2015	CHERRY	0.03	-	-	-	the Netherlands
	5039/2015	CHERRY	-	-	0.1	-	the Netherlands
	5040/2015	CHERRY	0.01	-	-	-	the Netherlands

The abbreviations used for the pesticide names are as follows:

CTP	chlorantraniliprole	FLB	flubendiamide	FNHX	fenhexamid
FPYM	fluopyram				

Table 10c. Residues sought but not found in TOMATO sampled from April to July 2015

The following pesticide(s) were actively sought but not found at or above their reporting limits (in parentheses in mg/kg):

1,4-dimethylnaphthalene (0.01)	epoxiconazole (0.01)	monolinuron (0.01)
2,4-D (sum) (0.01)	EPTC (0.05)	Monuron (0.01)
2,4-DB (0.01)	ethiofencarb (parent) (0.01)	myclobutanil (0.01)
2-phenylphenol (0.05)	ethion (0.01)	napropamide (0.05)
6-benzyladenine (0.01)	ethirimol (0.01)	nitenpyram (0.01)
abamectin (sum) (0.01)	ethofumesate (0.01)	nitrothal-isopropyl (0.01)
acephate (0.01)	ethoprophos (0.01)	nuarimol (0.01)
acetamiprid (0.01)	etofenprox (0.01)	ofurace (0.01)
acetochlor (0.01)	etoxazole (0.02)	Oxadiazargyl (0.01)
acibenzolar-s-methyl (0.02)	etridiazole (0.05)	oxadixyl (0.01)
aclonifen (0.05)	etrimfos (0.01)	oxamyl (0.01)
acrinathrin (0.05)	famoxadone (0.01)	oxasulfuron (0.01)
alachlor (0.01)	fenamidone (0.01)	oxydemeton-methyl (sum) (0.01)
aldicarb (sum) (0.01)	fenamiphos (sum) (0.01)	oxyfluorfen (0.05)
aldrin and dieldrin (0.01)	fenarimol (0.01)	paclobutrazol (0.01)
alpha-HCH (0.01)	fenazaquin (0.01)	parathion (0.01)
ametoctradin (0.01)	fenbuconazole (0.01)	parathion-methyl (sum) (0.01)
amidosulfuron (0.01)	fenbutatin oxide (0.05)	penconazole (0.01)
amitraz (0.01)	fenitrothion (0.01)	pencycuron (0.01)
anthraquinone (0.01)	fenoxycarb (0.01)	pendimethalin (0.01)
asulam (0.05)	fenpropathrin (0.01)	pentanochlor (0.01)
atrazine (0.01)	fenpropidin (0.05)	permethrin (0.01)
azinphos-methyl (0.02)	fenpropimorph (0.01)	phenmedipham (0.05)
azoxystrobin (0.01)	fenpyroximate (0.01)	phenthoate (0.01)
BAC (sum) (0.05)	fensulfothion (sum) (0.01)	phorate (partial sum) (0.02)
benalaxyl (0.01)	fenthion (partial sum) (0.01)	phosalone (0.01)
bendiocarb (0.01)	fenvalerate & esfenvalerate (all isomers) (0.01)	phosmet (sum) (0.01)
benfuracarb (0.01)	fipronil (sum) (0.01)	phosphamidon (0.01)
benthiavalicarb (sum) (0.01)	fonicamid (sum) (0.01)	phoxim (0.01)
beta-HCH (0.01)	fluazifop-p-butyl (sum) (0.01)	picolinafen (0.01)
bifenthrin (0.01)	fluazinam (0.01)	picoxystrobin (0.01)
biphenyl (0.01)	flucythrinate (0.05)	piperonyl butoxide (0.01)
bispyribac-sodium (0.01)	fludioxonil (0.01)	pirimicarb (sum) (0.01)
bitertanol (0.01)	flufenacet (0.01)	pirimiphos-ethyl (0.01)
boscalid (0.01)	flufenoxuron (0.02)	pirimiphos-methyl (0.01)
bromophos-ethyl (0.01)	fluometuron (0.01)	prochloraz (parent only) (0.01)
bromopropylate (0.01)	fluopicolide (0.01)	Prochloraz (sum) (0.01)
bromoxynil (0.01)	fluoxastrobin (0.01)	procymidone (0.01)
bromuconazole (0.01)	fluquinconazole (0.01)	profenofos (0.01)
bupirimate (0.01)	flurochloridone (0.05)	promecarb (0.01)
buprofezin (0.01)	fluroxypyr (sum) (0.05)	prometryn (0.01)
butachlor (0.01)	flusilazole (0.01)	propachlor (0.01)
butocarboxim (parent) (0.01)	flutolanil (0.01)	propamocarb (0.01)
butoxycarboxim (0.01)	flutriafol (0.01)	propaquizafop (0.05)
cadusafos (0.01)	fluxapyroxad (0.01)	propargite (0.01)
captan (0.02)	folpet (0.01)	propetamphos (0.01)
carbaryl (0.01)	fonofos (0.01)	propiconazole (0.01)
carbendazim (0.01)	formetanate (0.05)	propoxur (0.01)
carbofuran (sum) (0.01)	fosthiazate (0.01)	propyzamide (0.01)
carbosulfan (0.01)	furalaxyl (0.01)	proquinazid (0.01)
carboxin (0.05)	furathiocarb (0.01)	prosulfocarb (0.05)
chlorbufam (0.05)	furmecyclox (0.01)	prosulfuron (0.02)
chlordane (sum) (0.01)	halofenozide (0.01)	prothioconazole (0.01)
chlorfenapyr (0.02)	halosulfuron-methyl (0.01)	prothiofos (0.01)
chlorfenvinphos (0.01)	haloxyfop (sum) (0.01)	pymetrozine (0.01)
chloridazon (0.01)	Heptachlor (sum) (0.01)	pyraclostrobin (0.01)
chlormequat (0.02)	heptenophos (0.01)	pyrazophos (0.01)

chlorothalonil (0.01)
 chlorpropham (sum) (0.05)
 chlorpyrifos (0.01)
 chlorpyrifos-methyl (0.01)
 chlorthal-dimethyl (0.01)
 chlortoluron (0.01)
 chlozolinate (0.01)
 chromafenozide (0.01)
 clethodim (0.05)
 clofentezine (0.01)
 clomazone (0.01)
 clothianidin (0.01)
 coumaphos (0.01)
 cyazofamid (0.01)
 cycloate (0.01)
 cycloxydim (0.05)
 cyflufenamid (0.01)
 cyfluthrin (0.02)
 Cyhalofop-butyl (sum) (0.01)
 cymoxanil (0.01)

cypermethrin (0.05)
 cyproconazole (0.01)
 cyprodinil (0.05)
 cyromazine (0.05)
 DDAC (sum) (0.05)
 DDT (sum) (0.01)
 deltamethrin (0.05)
 demeton-S-methyl (0.01)

desmedipham (0.05)
 diazinon (0.01)
 dichlobenil (0.05)
 dichlofluanid (0.01)
 dichlofluanid and DMSA (0.01)
 dichlorprop (0.01)
 dichlorvos (0.01)
 diclobutrazol (0.01)
 dicloran (0.01)
 dicofol (sum) (0.01)
 dicotophos (0.01)
 diethofencarb (0.01)
 difenoconazole (0.01)
 diflubenzuron (0.01)
 diflufenican (0.01)
 dimethenamid (0.01)
 dimethoate (sum) (0.01)
 dimethomorph (0.01)
 dimoxystrobin (0.01)
 diniconazole (0.01)
 dinotefuran (0.01)
 diphenylamine (0.05)
 disulfoton (sum) (0.02)
 dithiocarbamates (0.05)
 diuron (0.01)
 dodine (0.05)
 emamectin benzoate (0.01)
 endosulfan (sum) (0.01)
 EPN (0.01)

hexachlorobenzene (0.01)
 hexaconazole (0.01)
 hexythiazox (0.01)
 imazalil (0.02)
 imidacloprid (0.01)
 indoxacarb (0.01)
 ioxynil (0.05)
 iprodione (0.02)
 iprovalicarb (0.01)
 isazophos (0.01)
 isocarbophos (0.01)
 isofenphos (0.01)
 isofenphos-methyl (0.01)
 isoprocab (0.01)
 isoprothiolane (0.01)
 isoproturon (0.01)
 isopyrazam (0.01)
 isoxaben (0.01)
 isoxaflutole (0.01)
 kresoxim-methyl (0.01)

lambda-cyhalothrin (0.02)
 lenacil (0.01)
 lindane (0.01)
 linuron (0.01)
 lufenuron (0.02)
 malathion (0.01)
 mandipropamid (0.01)
 MCPA, MCPB and MCPA thioethyl
 expressed (0.01)
 MCPB (0.01)
 mecarbam (0.01)
 mepanipyrim (sum) (0.01)
 mepiquat (0.02)
 mepronil (0.01)
 mesosulfuron-methyl (0.01)
 metaflumizone (0.05)
 metalaxyl (0.01)
 metamitron (0.01)
 metconazole (0.01)
 methabenzthiazuron (0.01)
 methacrifos (0.01)
 methamidophos (0.01)
 methidathion (0.01)
 methiocarb (sum) (0.01)
 methomyl (sum) (0.01)
 methoxychlor (0.01)
 methoxyfenozide (0.01)
 metobromuron (0.01)
 metolachlor (0.01)
 metolcarb (0.01)
 metosulam (0.01)
 metoxuron (0.01)
 metrafenone (0.01)
 metribuzin (0.05)
 metsulfuron-methyl (0.05)
 mevinphos (0.01)
 molinate (0.01)
 monocrotophos (0.01)

pyrethrins (0.01)
 pyridaben (0.01)
 pyridaphenthion (0.01)
 pyrimethanil (0.05)
 pyriproxifen (0.01)
 quassia (0.01)
 quinalphos (0.01)
 quinmerac (0.05)
 Quinoclamine (0.01)
 quinoxyfen (0.01)
 quintozene (sum) (0.01)
 rimsulfuron (0.01)
 rotenone (0.01)
 spinosad (0.01)
 spirodiclofen (0.01)
 spiromesifen (0.01)
 spirotetramat (sum) (0.01)
 spiroxamine (0.01)
 sulcotrione (0.05)
 sum of butocarboxim and
 butocarboxim sul (0.01)
 tau-fluvalinate (0.01)
 tebuconazole (0.01)
 tebufenozide (0.01)
 tebufenpyrad (0.01)
 tebuthiuron (0.01)
 tecnazene (0.01)
 teflubenzuron (0.01)
 tefluthrin (0.01)

terbufos (0.01)
 Terbufos (sum not defintion) (0.01)
 terbuthylazine (0.05)
 tetrachlorvinphos (0.01)
 tetraconazole (0.01)
 tetradifon (0.01)
 tetramethrin (0.01)
 thiabendazole (0.05)
 thiacloprid (0.01)
 thiamethoxam (sum) (0.01)
 thiophanate-methyl (0.01)
 tolclofos-methyl (0.01)
 tolfenpyrad (0.01)
 tolylfluanid (sum) (0.01)
 triadimefon & triadimenol (0.01)
 triallate (0.05)
 triasulfuron (0.05)
 triazamate (0.01)
 triazophos (0.01)
 triclopyr (0.05)
 tricyclazole (0.01)
 trifloxystrobin (0.01)
 triflumizole (0.01)
 triflumuron (0.01)
 trifluralin (0.01)
 triforine (0.05)
 triticonazole (0.01)
 vinclozolin (sum) (0.01)
 zoxamide (0.01)

APPENDIX D

CRD Assessment of Risk

The sampling programme is designed to enable the regulatory authorities to check that:

- specified pesticide MRLs are being respected;
- users of pesticides are complying with conditions of use specified in the authorisation;
- dietary intakes of residues are within acceptable limits.

This section details how risks from dietary intakes are assessed.

When assessments are carried out

A screening assessment is done for each residue and commodity combination to identify residue levels that would lead to intakes above the relevant reference doses. Further information on this screening approach is available on request from CRD. Detailed assessments are then produced for every case where the actual residue level found could lead to an intake by any group above the reference dose

Assessing Dietary intakes

Assessing the acceptability of dietary intakes is complicated. Consumer risk assessments are carried out for both short-term (peak) and long-term intakes. These assessments use information on food consumption collected in UK dietary surveys in conjunction with the residue levels we find. Occasionally, additional pesticide specific information on the losses of residues that occur during preparation and/or cooking of food is also used.

How the assessment is carried out

Short-term intakes (also called NESTIs) are calculated using consumption data for high-level consumers, based on single-day consumption values and the highest residue found in a food commodity. The residue found is multiplied by a variability factor to take account of the fact that residues may vary between individual items that make up the sample analysed. The estimated intake is compared to the Acute Reference Dose (ARfD). This is done for ten consumer groups; adults, infants, toddlers, 4-6 year olds, 7-10 year olds, 11-14 year olds, 15-18 year olds, vegetarians, elderly living in residential homes and elderly living in their own homes.

Long-term intakes (NEDI) are also calculated for high-level consumers, but in this case the consumption data are high-level long-term values rather than peak single-day events, and similarly the residue values used reflect long-term average levels rather than occasional high values. Again these estimates are made for the ten consumer groups. In this case the estimated intake is compared to the Acceptable Daily Intake (ADI). More information on intake assessments is available on [CRD's website](#).

The reference doses (ADI, ARfD) are set by the Advisory Committee on Pesticides (ACP), or agreed within the EC (an increasing proportion of UK pesticide authorisations are now carried out in accordance with harmonised EU processes). However, where neither the UK nor the EC has set a reference dose, levels set by regulatory authorities in other countries may be used. For a small number of pesticides the reference doses used have been determined by CRD. These have not been independently peer-reviewed and should therefore be regarded as provisional. Reference dose values are also available on the [EU website](#).

Although MRLs are not safety levels, an MRL would not be established if the residue concentrations measured in the supervised trials used to support the MRL would give rise to health concerns. In most cases residues present at the MRL result in intakes below the ARfD and the ADI. So even if the MRL is exceeded this does not always lead to an intake above the ARfD or ADI.

In addition, an estimated intake that exceeds the ADI or ARfD does not automatically result in concerns for consumer health, because a protective approach is used in setting the ADI and ARfD. In the unusual circumstance of an intake exceeding the ADI or ARfD, an evaluation of the toxicological data is made, and details of this assessment would be presented.

Most consumer intakes are for short-term exposure rather than chronic exposure. This is because in most cases the monitoring data show the majority of samples to contain residues below the reporting limit and so chronic exposure would not present a concern. Long-term risk assessments have been carried out on a case-by-case basis, but are not routinely reported. Long-term exposure assessments done using median residue levels, rather than using the highest residues found. Therefore, long-term risk assessments would only need to be carried out where PRiF data indicated a high proportion of samples contained residues above the MRL (this would result in a higher median residue level than that previously assessed when setting the MRL), or where there is no MRL and acute toxicology is not considered relevant for the particular pesticide concerned

Where intakes exceed a reference dose, it is necessary for the underlying toxicological studies (animal studies) to be considered to enable the significance of such an exceedance to be understood. Toxicological studies are conducted using different doses to determine the nature of any ill health effects as well as the levels at which such effects can be expected to occur.

Toxicological studies are conducted using test animals to identify the highest experimental dose that causes no detectable adverse effects (the NOAEL). Where there is more than one relevant toxicological study, the lowest appropriate NOAEL for the most sensitive adverse effect is typically used. There is some uncertainty in extrapolating between animals and people and it is therefore important to use a 'safety factor' to account for sources of variation. This safety factor is incorporated (by dividing the NOAEL by the safety factor) in deriving a reference dose, either an ADI or an ARfD, to which consumer intakes are compared. A safety factor therefore extrapolates from the animal testing to the general population. Factors in the order of x100 are commonly used, x 10 for animal to man, and x10 for within human population differences in sensitivity. However, toxicologists may propose different values (e.g. from 5 to 1000) based scientific reasoning in accordance with study designs and the quality of the data that has been generated from the studies.

In order to ensure exposures to pesticides do not pose unacceptable risk to humans a wide range of investigations are performed. Most of these are performed in experimental animals because the only end-points that can be examined in human volunteers are those involving observation or blood and urine sampling. Human volunteer studies involving pesticides are not generated in current regulatory work. There is debate at the international level as to whether human studies that have been generated should be used for risk assessment purposes. In the EU, the policy is not to use these data in assessments; the JMPR chose to apply judgement in the appropriate use of these data if available. PRiF risk assessments will usually refer to test animal species, such as dog, rat, and rabbit. All toxicological work is undertaken based on principles of minimising animal distress. Where scientifically valid human data are available PRiF risk assessments will refer to these as they reduce the uncertainty in the assessment. Therefore, human data is only referred to in more limited circumstances.

Acute (short term) toxicology is not a concern for all pesticides, as some are not acutely toxic. In terms of the pesticides that have been found in fruit and vegetables through the surveillance programme an acute risk assessment would not be necessary on the following: tecnazene, maleic hydrazide, bitertanol, buprofezin, dicloran, diphenylamine, ethoxyquin, furalaxyl, imazalil, iprodione, kresoxim-methyl, myclobutanil, permethrin, pendimethalin, propargite, propyzamide, quintozone, thiabendazole and tolclofos-methyl.

Probabilistic Modelling

The standard calculations of consumer exposure use realistic consumption data and residue levels. However, they tend to overestimate intakes in most circumstances. This is due to the assumptions used; fruit and vegetables would contain high levels of residue in an individual unit and that these would be consumed by high-level consumers. They do not take into account the possible range of residue levels and consumption distributions that may occur in reality. These possible combinations of residues and consumption levels can be taken into account using modelling/simulation techniques to produce probability distributions of residue intake levels to indicate the range of consumer intakes, presented as a probabilistic assessment of consumer exposure. These techniques are not yet routinely used to estimate dietary intakes of pesticide residues in the EC.

Multiple residues

The risk assessment process is not standing still. We are aware that some consumers are concerned by the 'cocktail effect'- the possible implications of residues of more than one chemical occurring in, say, a single portion of fruit or vegetables or the interaction between mixtures of pesticides and veterinary medicines at residue levels.

Where more than one pesticide residue is found in a sample, we produce a separate table which identifies each sample and what was found (see Appendix C). If more than one organophosphate/carbamate is found we will undertake an additional risk assessment. If the combination of pesticides found is either unusual or gives cause for concern then this will be detailed in the report.

The Food Standards Agency (FSA) asked the Committee on Toxicity of Chemicals in Food, Consumer Products and the Environment to assess these concerns. Their Report Risk Assessment of Mixtures of Pesticides and Veterinary Medicines was published in 2002. The Committee concluded that the probability of any health hazard from exposures to mixtures is likely to be small. Nonetheless, it identified areas of uncertainty in the risk assessment process and made recommendations for further work. These fell under the broad headings of regulatory, surveillance, research and public information issues. An action plan to take forward the recommendations has been published on the [FSA website](#). A number of research projects have been commissioned by the FSA to help progress. Details can be [found here](#).

Scientific methodologies have yet to be developed to deal with mixtures from groups of pesticides identified by the Committee. However, the Advisory Committee on Pesticides (ACP) has developed an approach for the anticholinesterase compounds. They have also recommended an approach for assessing compounds that might have combined toxicity. This includes a consideration of the proportion of the respective reference doses taken up by the predicted exposures to each active substance. If this is only a small proportion (e.g. <50% if there are two components; <33% for 3 etc) then assuming simple additivity the risks would still be acceptable. However if exposures to each active substance represent a high proportion of the respective reference doses and the total exceeds 100% a more detailed consideration is needed. Details can be [found here](#).

We are keen to ensure our reports reflect consumer concerns. We therefore now regularly assess findings showing multiple residues of organophosphate and carbamate pesticides. Combined assessment is a new development in risk assessment, which is being taken forward at international level. The European Food Safety Authority (EFSA) held a [colloquium in 2014](#).

Further advances in risk assessment methodology will be taken into account in developing the approach to multiple risk assessments in the future.

Assessment of Risk to Human Health

Table C: Short-term intake estimates

Screening assessments have been done for all acutely toxic and potentially acutely toxic pesticides to check that predicted intakes are within the ARfD (or ADI, as appropriate, where an ARfD is not available). An acute exposure assessment is not done for pesticides which are not acutely toxic where it has been established that an ARfD is not required. Toxicological endpoints can be found in the DG Sanco EU Pesticides database which is available at http://ec.europa.eu/food/plant/protection/evaluation/database_act_subs_en.htm

The screening assessment uses the internationally agreed approach to short-term (acute) consumer exposure assessment with UK food consumption data as detailed within the UK NESTI model which is available on the CRD website at <http://www.pesticides.gov.uk/approvals.asp?id=1687>.

Crop	Pesticide	Highest residue (mg/kg)	Intake (mg/kg bw/day)			ARfD (mg/kg bw/day)	Source
			4-6 year old child	7-10 year old child	Critical group [†]		
Soft citrus	Imazalil	2.2	0.084	0.063	0.12 (toddler)	0.05 pregnant & nursing females 0.1 others	EFSA 2007

Comment on risk assessment

Citrus flesh after peeling

The EU MRL risk assessment assumes that soft citrus are peeled before consumption. After peeling only 5% of the residue remains (JMPR, 1977), the highest intake is below 0.05 mg/kg bw/d, and there are no exceedances of either ARfD.

However, assuming that consumers eat all the peel, intakes for toddlers exceed the acute reference dose of 0.1 mg/kg bw/day (for the general population excluding pregnant and nursing women).

Whole citrus, including all the peel

Pregnant and nursing females

There is no exceedance of the acute reference dose of 0.05 mg/kg bw/day (for pregnant and nursing women) and hence no health effects are expected.

General population

If toddlers ate large portions of soft citrus containing imazalil at 2.2 mg/kg, their intake of imazalil could be 122% of the Acute Reference Dose of 0.1 mg/kg bw/d for the general

Crop	Pesticide	Highest residue (mg/kg)	Intake (mg/kg bw/day)			ARfD (mg/kg bw/day)	Source
			4-6 year old child	7-10 year old child	Critical group [†]		
<p>population. This intake is 83 times lower than a dose which caused no observed adverse effect in a rabbit developmental study. The European Food Safety Authority used this study as the basis of the ARfD.</p> <p>Toxicologists usually apply a factor of 100 to this dose to take into account uncertainties caused by using animal data and possible differences in susceptibility between people. Also it is noted that an ARfD based on maternal toxicity in a developmental study with repeated dosing (13 days) is likely to be very protective for the general population. Based on this assessment we consider the reduced factor of 83 still enough to make an effect on health unlikely.</p>							

[†]Highest intake of all ten consumer groups, or intakes for all consumer groups that exceed the ARfD

Acute risk assessments for samples containing more than one organophosphorus/carbamate or captan/folpet or triazoles or carbendazim/thiophanate methyl following screening assessment.

Some samples contained residues of more than one pesticide. Whenever toxicologists expect these to add to each other's effect, (have the same toxicological mode of action), CRD carries out a risk assessment of the combined results. Where the sum of the individual intakes, expressed as a percentage of the respective ARfDs is above 100% then the risk assessment is published in full.

The screening assessment of samples, which contained more than one pesticide from the above groups, did not indicate any exceedances of the ARfD.

APPENDIX E

Supplier Details

The Government has decided that brand name information should be published as part of the Government chemical surveillance programme for food. Brand names have been published for most pesticide residue surveys since 1998. This policy was reviewed in 2000/1, when Ministers agreed to its continuation. This policy is employed for the SF&VS monitoring.

The tables give the name and address of the distribution depots from which the produce was collected. The suppliers/brand name is not always available. Similar produce from the same supplier may have been available from other depots. The choice of supplier for each area lies with the Department of Health and not the distributor.

This Appendix lists information for each sample analysed with details of the levels of residues detected.

Residues found in Apples Between April and June 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3537/2015	11/05/2015	Gala Apples	South Africa	F W Mansfield & Sons	Nickle Farm, Chartham, Kent CT4 7PL	None stated	dithiocarbamates 0.3 (MRL = 5) indoxacarb 0.02 (MRL = 0.5) pyrimethanil 0.7 (MRL = 7) thiacloprid 0.03 (MRL = 0.3)
5046/2015	12/06/2015	Braeburn Apples	South Africa	F W Mansfield & Sons	Nickle Farm, Chartham, Kent CT4 7PL	None stated	chlorantraniliprole 0.02 (MRL = 0.5) dithiocarbamates 0.3 (MRL = 5) thiacloprid 0.06 (MRL = 0.3)
5050/2015	24/06/2015	Fuji Apples	South Africa	F W Mansfield & Sons	Nickle Farm, Chartham, Kent CT4 7PL	None stated	dithiocarbamates 0.09 (MRL = 5) pyrimethanil 1.1 (MRL = 7)
3569/2015	23/04/2015	Gala Apples	Poland	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UW	None stated	boscalid 0.03 (MRL = 2) captan and folpet 0.04 (MRL = 3) dithiocarbamates 0.1 (MRL = 5) fenpyroximate 0.02 (MRL = 0.3) methoxyfenozide 0.03 (MRL = 2)
3571/2015	15/05/2015	Golden Delicious Apples	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	ONS Fresh	dithiocarbamates 0.1 (MRL = 5) indoxacarb 0.03 (MRL = 0.5) thiacloprid 0.01 (MRL = 0.3)
3832/2015	19/06/2015	Gala Apples	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	None stated	chlorantraniliprole 0.01 (MRL = 0.5) dithiocarbamates 0.3 (MRL = 5) thiacloprid 0.03 (MRL = 0.3)
3584/2015	22/04/2015	Golden Delicious Apples	South Africa	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	chlorantraniliprole 0.01 (MRL = 0.5) dithiocarbamates 0.1 (MRL = 5) pyrimethanil 0.09 (MRL = 7) thiacloprid 0.03 (MRL = 0.3)

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
5016/2015	25/06/2015	Gala Apples	South Africa	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	acetamiprid 0.06 (MRL = 0.8)
							dithiocarbamates 0.4 (MRL = 5)
							indoxacarb 0.01 (MRL = 0.5)
							pyrimethanil 1.8 (MRL = 7)
							thiacloprid 0.01 (MRL = 0.3)
5020/2015	11/06/2015	Gala Apples	South Africa	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	acetamiprid 0.01 (MRL = 0.8)
							dithiocarbamates 0.2 (MRL = 5)
							thiacloprid 0.04 (MRL = 0.3)
3532/2015	05/05/2015	Royal Gala Apples	South Africa	Peake Fruit Ltd	Home Farm, Ardleigh, Colchester CO7 7NA	None stated	chlorantraniliprole 0.03 (MRL = 0.5)
							dithiocarbamates 0.2 (MRL = 5)
							thiacloprid 0.05 (MRL = 0.3)
5029/2015	04/06/2015	Gala Apples	South Africa	Peake Fruit Ltd	Home Farm, Ardleigh, Colchester CO7 7NA	None stated	chlorantraniliprole 0.03 (MRL = 0.5)
							dithiocarbamates 0.2 (MRL = 5)
							thiacloprid 0.03 (MRL = 0.3)
5030/2015	23/06/2015	Golden Delicious Apples	South Africa	Peake Fruit Ltd	Home Farm, Ardleigh, Colchester CO7 7NA	None stated	chlorantraniliprole 0.03 (MRL = 0.5)
							dithiocarbamates 0.2 (MRL = 5)
							thiacloprid 0.03 (MRL = 0.3)

Residues found in Bananas Between April and July 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3521/2015	20/04/2015	Cavendish Bananas	Colombia	G W Price Ltd	13 High Street, Eckington, Sheffield S21 4DH	None stated	imazalil 0.2 (MRL = 2) thiabendazole 0.09 (MRL = 5)
3522/2015	04/05/2015	Cavendish Bananas	Dominican Republic	G W Price Ltd	13 High Street, Eckington, Sheffield S21 4DH	None stated	None were detected above the set RL
3840/2015	18/05/2015	Cavendish Bananas	Colombia	G W Price Ltd	13 High Street, Eckington, Sheffield S21 4DH	None stated	imazalil 0.1 (MRL = 2) thiabendazole 0.09 (MRL = 5)
3841/2015	09/06/2015	Bananas	Dominican Republic	G W Price Ltd	13 High Street, Eckington, Sheffield S21 4DH	None stated	None were detected above the set RL
3842/2015	15/06/2015	Cavendish Bananas	Colombia	G W Price Ltd	13 High Street, Eckington, Sheffield S21 4DH	None stated	chlorpyrifos 0.02 (MRL = 3) imazalil 0.1 (MRL = 2) thiabendazole 0.05 (MRL = 5)
3843/2015	29/06/2015	Bananas	Dominican Republic	G W Price Ltd	13 High Street, Eckington, Sheffield S21 4DH	None stated	None were detected above the set RL
3513/2015	08/06/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	bifenthrin 0.01 (MRL = 0.1) imazalil 0.1 (MRL = 2) thiabendazole 0.1 (MRL = 5)
3514/2015	18/06/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	imazalil 0.1 (MRL = 2) thiabendazole 0.1 (MRL = 5)
3774/2015	22/06/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	azoxystrobin 0.05 (MRL = 2) imazalil 0.04 (MRL = 2)
3779/2015	08/06/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	chlorpyrifos 0.02 (MRL = 3) imazalil 0.1 (MRL = 2) thiabendazole 0.1 (MRL = 5)

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3817/2015	13/07/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	imazalil 0.2 (MRL = 2) thiabendazole 0.1 (MRL = 5)
3818/2015	13/07/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	imazalil 0.3 (MRL = 2) thiabendazole 0.2 (MRL = 5)
5056/2015	18/06/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	bifenthrin 0.02 (MRL = 0.1) buprofezin 0.02 (MRL = 0.5) imazalil 0.1 (MRL = 2) thiabendazole 0.1 (MRL = 5)
5057/2015	22/06/2015	Cavendish Bananas	Costa Rica	JN Fox & Sons UK Ltd	Unit A, The Ridgeway Trading Estate, Iver SL0 9HX	Del Monte	azoxystrobin 0.06 (MRL = 2) bifenthrin 0.01 (MRL = 0.1) fenpropimorph 0.01 (MRL = 2) imazalil 0.04 (MRL = 2)

Residues found in Carrots Between April and July 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3505/2015	27/04/2015	Nairobi Carrots	Scotland	Alan Bartlett & Sons	Great Acre Fen, Chatteris, Cambridgeshire PE16 6EG	None stated	boscalid 0.02 (MRL = 2)
3506/2015	11/05/2015	Nairobi Carrots	Scotland	Alan Bartlett & Sons	Great Acre Fen, Chatteris, Cambridgeshire PE16 6EG	None stated	BAC (sum) 0.06 (MRL = 0.1) boscalid 0.02 (MRL = 2)
3787/2015	17/06/2015	Nada Carrots	France	Alan Bartlett & Sons	Great Acre Fen, Chatteris, Cambridgeshire PE16 6EG	None stated	linuron 0.03 (MRL = 0.2)
3788/2015	12/07/2015	Nairobi Carrots	UK	Alan Bartlett & Sons	Great Acre Fen, Chatteris, Cambridgeshire PE16 6EG	None stated	BAC (sum) 0.05 (MRL = 0.1) linuron 0.01 (MRL = 0.2)
3772/2015	24/04/2015	Chantenay Carrots	UK	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	None were detected above the set RL
3773/2015	15/05/2015	Chantenay Carrots	UK	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	boscalid 0.04 (MRL = 2) tebuconazole 0.01 (MRL = 0.4)
3799/2015	16/06/2015	Nada Carrots	France	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	linuron 0.01 (MRL = 0.2)
3585/2015	07/05/2015	Carrots	the Netherlands	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	boscalid 0.07 (MRL = 2)
3587/2015	11/06/2015	Carrots	UK	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	boscalid 0.05 (MRL = 2)
5015/2015	25/06/2015	Carrots	UK	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	None were detected above the set RL
5019/2015	14/07/2015	Carrots	UK	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	None were detected above the set RL

Residues found in Dried Raisins and Sultanas Between May and July 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3797/2015	15/05/2015	Thompson Raisins	Turkey	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	boscalid 0.7 (MRL = 25)
							chlorpyrifos 0.09 (MRL = 2.5)
							iprodione 0.1 (MRL = 50)
							lambda-cyhalothrin 0.07 (MRL = 1)
							metalaxyl 0.2 (MRL = 10)
							pyraclostrobin 0.04 (MRL = 5)
5001/2015	01/07/2015	Sultanas & Raisins	Turkey	Fruity Packs	Ralph Coleman International, Unit 2 Gresham Road, Bermuda Industrial Estate, Nunneaton, Warwickshire CV10 7QR	Fruity Packs	pyrimethanil 0.2 (MRL = 25)
							boscalid 0.1 (MRL = 25)
							carbendazim 0.02 (MRL = 1.5)
							chlormequat 0.02 (MRL = 0.25)
							chlorpyrifos 0.08 (MRL = 2.5)
							cyprodinil 0.1 (MRL = 25)
							fluopyram 0.04 (MRL = 7.5)
							indoxacarb 0.04 (MRL = 10)
							iprodione 0.4 (MRL = 50)
							metalaxyl 0.2 (MRL = 10)
methoxyfenozide 0.03 (MRL = 5)							
5002/2015	01/07/2015	Sultanas & Raisins	Turkey	Fruity Packs	Ralph Coleman International, Unit 2 Gresham Road, Bermuda Industrial Estate, Nunneaton, Warwickshire CV10 7QR	Fruity Packs	pyrimethanil 0.4 (MRL = 25)
							azoxystrobin 0.02 (MRL = 10)
							boscalid 0.2 (MRL = 25)
							chlormequat 0.1 (MRL = 0.25)
							chlorpyrifos 0.04 (MRL = 2.5)
							cyprodinil 0.1 (MRL = 25)
							indoxacarb 0.03 (MRL = 10)
							iprodione 0.1 (MRL = 50)
							metalaxyl 0.2 (MRL = 10)
							methoxyfenozide 0.04 (MRL = 5)
pyrimethanil 0.3 (MRL = 25)							

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
5003/2015	01/07/2015	Sultanas & Raisins	Turkey	Fruity Packs	Ralph Coleman International, Unit 2 Gresham Road, Bermuda Industrial Estate, Nunneaton, Warwickshire CV10 7QR	Fruity Packs	acetamiprid 0.03 (MRL = 2.5)
							azoxystrobin 0.05 (MRL = 10)
							boscalid 0.1 (MRL = 25)
							chlormequat 0.07 (MRL = 0.25)
							chlorpyrifos 0.1 (MRL = 2.5)
							cyprodinil 0.1 (MRL = 25)
							folpet 0.05 (MRL = 0.1)
							fluopyram 0.03 (MRL = 7.5)
							indoxacarb 0.04 (MRL = 10)
							iprodione 0.7 (MRL = 50)
							lambda-cyhalothrin 0.05 (MRL = 1)
							metalaxyl 0.2 (MRL = 10)
							methoxyfenozide 0.05 (MRL = 5)
pyrimethanil 1.1 (MRL = 25)							
tebuconazole 0.03 (MRL = 2.5)							

Residues found in Soft Citrus Between April and July 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3542/2015	16/06/2015	Nules Clementines	South Africa	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	2,4-D (sum) 0.09 (MRL = 1) imazalil 1.4 (MRL = 5) pyrimethanil 1.5 (MRL = 8)
3549/2015	20/04/2015	Nadorcott Clementine	Spain	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	2,4-D (sum) 0.03 (MRL = 1) imazalil 0.7 (MRL = 5)
3798/2015	27/05/2015	Clementines	South Africa	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	2,4-D (sum) 0.3 (MRL = 1) imidacloprid 0.02 (MRL = 1) imazalil 0.5 (MRL = 5) pyrimethanil 0.9 (MRL = 8) thiabendazole 1.2 (MRL = 5)
3833/2015	10/07/2015	Clemenules	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	None stated	2,4-D (sum) 0.1 (MRL = 1) chlorantraniliprole 0.03 (MRL = 0.7) imazalil 1.5 (MRL = 5) pyrimethanil 1 (MRL = 8)
3834/2015	10/07/2015	Clemenules	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	None stated	2,4-D (sum) 0.1 (MRL = 1) chlorantraniliprole 0.04 (MRL = 0.7) imazalil 2.1 (MRL = 5) pyrimethanil 1.1 (MRL = 8) spirotetramat (sum) 0.01 (MRL = 1)
3570/2015	23/04/2015	Nadorcott Mandarins	Spain	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UW	None stated	2,4-D (sum) 0.05 (MRL = 1) chlorpyrifos 0.02 (MRL = 2) DDAC (sum) 0.2 (MRL = 0.1) imazalil 0.6 (MRL = 5) pyrimethanil 0.3 (MRL = 8) tebufenpyrad 0.01 (MRL = 0.5)

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3550/2015	11/05/2015	Satsumas	South Africa	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	2,4-D (sum) 0.1 (MRL = 1)
							imazalil 1.2 (MRL = 5)
							metalaxyl 0.02 (MRL = 0.5)
							pyrimethanil 0.2 (MRL = 8)
3551/2015	20/05/2015	Satsumas	South Africa	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	thiabendazole 1.2 (MRL = 5)
							2,4-D (sum) 0.4 (MRL = 1)
							azoxystrobin 0.03 (MRL = 15)
							imidacloprid 0.02 (MRL = 1)
3800/2015	02/07/2015	Nules Satsumas	South Africa	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	imazalil 2.2 (MRL = 5)
							pyrimethanil 0.6 (MRL = 8)
							thiabendazole 0.6 (MRL = 5)
							2,4-D (sum) 0.2 (MRL = 1)
3828/2015	16/06/2015	Satsumas	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	None stated	imazalil 0.7 (MRL = 5)
							2,4-D (sum) 0.07 (MRL = 1)
							fludioxonil 0.01 (MRL = 10)
							imidacloprid 0.02 (MRL = 1)
3829/2015	16/06/2015	Satsumas	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	None stated	imazalil 1.3 (MRL = 5)
							2,4-D (sum) 0.08 (MRL = 1)
							fludioxonil 0.01 (MRL = 10)
							imidacloprid 0.02 (MRL = 1)
3830/2015	19/06/2015	Satsumas	South Africa	Greencell UK Ltd	Holly Lodge, West Marsh Road, Spalding PE11 3UG	None stated	imazalil 0.9 (MRL = 5)
							2,4-D (sum) 0.1 (MRL = 1)
							fludioxonil 0.01 (MRL = 10)
							imidacloprid 0.02 (MRL = 1)
							imazalil 1.1 (MRL = 5)

Residues found in Strawberries during June 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3793/2015	30/06/2015	Sonata Strawberries	UK	Berry Gardens Ltd	Tatlingbury Oast, Five Oak Green Road, Tonbridge, Kent TN12 6RG	None stated	boscalid 0.05 (MRL = 10)
							bupirimate 0.02 (MRL = 1)
							fludioxonil 0.03 (MRL = 4)
							fenhexamid 0.09 (MRL = 5)
							myclobutanil 0.01 (MRL = 1)
pyraclostrobin 0.01 (MRL = 1.5)							
3794/2015	30/06/2015	Sonata Strawberries	UK	Berry Gardens Ltd	Tatlingbury Oast, Five Oak Green Road, Tonbridge, Kent TN12 6RG	None stated	fenhexamid 0.2 (MRL = 5)
							myclobutanil 0.02 (MRL = 1)
							pyrimethanil 0.1 (MRL = 5)
							thiacloprid 0.04 (MRL = 1)

Residues found in Sugarsnap Peas Between June and July 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
5008/2015	22/06/2015	Sugar Snap Peas	UK	Mack Multiples	Transfera Road, Paddock Wood, Kent TN12 6UT	None stated	None were detected above the set RL
5009/2015	26/06/2015	Sugar Boy Peas	UK	Mack Multiples	Transfera Road, Paddock Wood, Kent TN12 6UT	None stated	None were detected above the set RL
5017/2015	25/06/2015	Sugar Snap Peas	UK	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	None were detected above the set RL
5018/2015	02/07/2015	Sugar Snap Peas	UK	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	Watts Farms	None were detected above the set RL
5044/2015	23/06/2015	Sugar Snap Peas	UK	Watts Farms	Hill Farm, Farningham Hill Road, Farningham, Kent DA4 0JR	Watts Farms	None were detected above the set RL
5045/2015	29/06/2015	Sugar Snap Peas	UK	Watts Farms	Hill Farm, Farningham Hill Road, Farningham, Kent DA4 0JR	Watts Farms	None were detected above the set RL

Residues found in Tomatoes Between April and July 2015

Sample ID	Date of Sampling	Description	Country of Origin	Distributor	Address	Brand Name	Pesticide residues found in mg/kg (MRL)
3552/2015	08/06/2015	Timotion Tomatoes	the Netherlands	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	chlorantraniliprole 0.01 (MRL = 0.6)
3553/2015	27/05/2015	Brioso Tomatoes	the Netherlands	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	None were detected above the set RL
3801/2015	13/07/2015	Brioso Tomatoes	the Netherlands	Capespan International Ltd	The Maidstone Studios, New Cut Road, Maidstone ME14 5NZ	None stated	None were detected above the set RL
3586/2015	07/05/2015	Brioso Tomatoes	the Netherlands	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	fluopyram 0.05 (MRL = 0.9)
5013/2015	11/06/2015	Brioso Tomatoes	the Netherlands	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	fenhexamid 0.1 (MRL = 1)
5014/2015	25/06/2015	Brioso Tomatoes	the Netherlands	Minor Weir & Willis Ltd	241 Wellington Road, Perry Barr, Birmingham B20 2QQ	None stated	chlorantraniliprole 0.01 (MRL = 0.6)
5035/2015	20/04/2015	Cocktail Tomatoes	the Netherlands	Prominent	Scheeweg 3 2678 NT de Lier	None stated	fluopyram 0.06 (MRL = 0.9)
5036/2015	19/05/2015	Brioso Tomatoes	the Netherlands	Prominent	Scheeweg 3 2678 NT de Lier	None stated	flubendiamide 0.02 (MRL = 0.2)
5037/2015	06/07/2015	Brioso Tomatoes	the Netherlands	Prominent	Scheeweg 3 2678 NT de Lier	None stated	chlorantraniliprole 0.03 (MRL = 0.6)
5039/2015	08/06/2015	Brioso Tomatoes	the Netherlands	Prominent	Scheeweg 3 2678 NT de Lier	None stated	fenhexamid 0.1 (MRL = 1)
5040/2015	22/06/2015	Brioso Tomatoes	the Netherlands	Prominent	Scheeweg 3 2678 NT de Lier	None stated	chlorantraniliprole 0.01 (MRL = 0.6)

FURTHER INFORMATION

About this report: Helena Cooke
Chemicals Regulation Directorate
Health and Safety Executive
Mallard House
Kings Pool
3 Peasholme Green
York YO1 7PX
Tel: 01904 455756

helena.cooke@hse.gsi.gov.uk

About the SF&VS: Visit the Scheme's website at:

www.nhs.uk/Livewell/5ADAY/Pages/Schoolscheme.aspx

or email:

Ricks.Llewellyn-Davies@dh.gsi.gov.uk

About PRiF: Visit PRiF's website at:

www.pesticides.gov.uk/guidance/industries/pesticides/advisory-groups/PRiF

Or email:

prif@hse.gsi.gov.uk